

Planning Commission
Ministry of Planning, Development & Special Initiatives, Islamabad
Government of Pakistan

Bidding Document

For

Procurement & Installation of IT Equipment/ Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items

For

"Strengthening of Ministry of Planning, Development and Reform in IT" Project

March, 2021

Page 1 | 67

ful-

	Table of Contents
Sr. No	
1	Invitation for Bids (IFB)
2	Section-I: Instructions to the Bidders4
	Bid Data Sheet (BDS)5
	Terms & Conditions
3	Section-II: Bidding Process and Evaluation Criteria21
4	Section-III: Schedule of Requirements
5	Section-IV: Standard Forms
6	Section-V: Eligible Countries67

Invitation for Bids (IFB)

For Procurement & Installation of IT Equipment/ Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for "Strengthening of Ministry of Planning, Development and Reform in IT" Project

Ministry of Planning, Development and Special Initiatives (M/o PDSI) Islamabad invites sealed bids from reputed national and international manufacturers, their authorized partners (Distributors, Resellers or Authorized Letter from mentioned Partners) for each LOT in Islamabad, Pakistan with high repute for procuring high quality and genuine items/solution.

- 1. Bidding shall be conducted through **Single Stage—Two Envelope** Bidding Procedure as per PPRA Rules. Envelopes should be clearly marked as **TECHNICAL & FINANCIAL PROPOSALS along with LOT** # in bold & legible letters on respective envelopes. The bidders are bound to provide their complete information along with postal as well as valid email address and phone number(s) on each of the respective envelopes.
- 2. Bidding documents, detailed description and quantities of items, collected from the address mentioned in this Invitation for Bids (IFB). The bids shall reach at the address mentioned at Clause 2.8 on or before 15:00 hrs on 05-04-2021. The bids shall be opened on the same day at 15:30 hrs by the Procurement Committee in the presence of Representatives of the bidders in the Ministry of Planning, Development & Special Initiatives, 'P' Block, Pakistan Secretariat, Islamabad. Bid submitted after due date & time shall not be entertained. A pre bid meeting will be held on 30-03-2021, at Ministry of Planning, Development & Special Initiatives, 'P' Block, Pakistan Secretariat, Islamabad. The exact time and venue will be communicated at appropriate time to bidders issued the Bid Document. The bid must be accompanied with separate Bid Security @ 2% of the bid value for each LOT quoted in the shape of Pay Order/ Demand Draft in the name of the DDO, Strengthening of Ministry of Planning, Development and Reform in IT Project. Late bids will be treated as non-responsive and will not be entertained. Bids/Rates shall be quoted in Pak Rupees and on FOR basis (delivery at premises) inclusive of all taxes where applicable
- 3. Bidders are required to offer most competitive lowest rate but with high standard quality inclusive of all the taxes, as negotiations on quoted rates are not allowed under the rules. The bid must be valid up to 90 days (Mutually extendable) from date of opening of the bid. The Purchaser reserves the right to reject any or all the bids as per provisions contained in Rules of PPRA Procurement Rules.

Assistant Director Admn. & Accounts
Strengthening of Ministry of Planning, Development and Reform in IT,
Ministry of Planning, Development and Special Initiatives
JACC, Ground Floor, 'P'-Block, Pak Secretariat, Islamabad

Tel: +92-51-9219861 Email: ad_jacc@pc.gov.pk

Page 3 | 67

Aus-

Section 1: Instructions to the Bidders (ITB)

Page 4 | 67

Han-

Section I: Instruction to Bidders including Data Sheet

Bid Data Sheet

ITB Ref	Description	Detail
ITB Clause 2.1	Bid Reference Number	No. 5(4)/IT/PC/2020-21 (1)
ITB Clause 2.2	Name of Goods	IT Equipment, Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture & Misc. Items
ITB Clause 2.3	Commencement date of provision of Bidding Document	18-03-2021
ITB Clause 2.4	Closing date of issuance of Bid documents	Upto 05-04-2021 (before 3:00 p.m.)
ITB Clause 2.5	Submission of written clarifications by bidders	On or Before 30-03-2021
ITB Clause 2.6	Pre-Bid Meeting	30-03-2021 at 3:00 p.m.
ITB Clause 2.7	Last date and time for submission of bids	05-04-2021 till 3:00 p.m.
ITB Clause 2.8	Bid Submission Address	Deputy Director, "Strengthening of Ministry of Planning, Development and Reform in IT Project", Ministry of Planning, Development and Special Initiatives, Ground Floor, JACC, 'P'-Block, Pak Secretariat, Islamabad
ITB Clause 20.1	Bidding for Selective Items	For LOT 1 to 4, all items in a LOT must be quoted. Selective Items in these LOTs will not be entertained. Bidders are allowed to submit proposals for one or more LOTS. However, each LOT must be submitted as a separate proposal. For LOT 5, bids for selective items are allowed.

Page 5 | 67

the fall

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

ITB Clause 3	Bidding Process	Single Stage Two Envelopes (Technical + Financial) of PPRA Rules.
ITB Clause 23	Clarification(s) on Bidding Documents	Deputy Director , Strengthening of Ministry of Planning, Development and Reform in IT Project
ITB Clause 14	Integrity Pact	For all procurements exceeding Rs. 10.00 million, it is mandatory for the Supplier to submit, along with Performance Guarantee, an Integrity Pact as per the format provided at TECH FORM 6 of this Bidding Document.
ITB Clause 15	Language of bid	English
ITB Clause 20.1	Specific Description of Goods in the Bidding Documents	For LOT 1 to 4, Quotations will be submitted for each & every item in a LOT mentioned in Section-III: Schedule of Requirements of the Bidding Documents. Any item that does not fulfill desired specification and mandatory requirements, the bid for that LOT shall be rejected straight away. For LOT 5, Quotations can be submitted for any or all items mentioned in the LOT. Any item that does not fulfil desired specification and mandatory requirements, the item quoted shall be rejected straight away.
ITB Clause 18.1	Bid Price	Bid Price shall be inclusive of all
ITB Clause 18.2	Currency of Bid	duties, taxes & levies. PKR – Pakistan Rupees
TIB Clause 16.2	Currency of Blu	TKK - I akistan Rupees
ITB Clause 24	Name of the Bid Form (Primary documents)	TECH FORM 1: Technical Proposal Cover Letter TECH FORM 2: BID COVER SHEET TECH FORM 3: Affidavit TECH FORM 4: Eligibility of the Bidders & Goods TECH FORM 5: Manufacturer/Distributor's Authorization TECH FORM 6: Integrity Pact TECH FORM 7: Summary of Similar Contracts TECH FORM 8: CVs of Technical Resource FIN FORM 1: Financial Proposal Cover Letter FIN FORM 2: Price Schedule
ITB Clause 25	Amount of Bid Security /	The Bidder shall furnish, as part of its bid, a
	Earnest Money	Bid Security/Earnest Money in the shape of

Page 6 | 67

the Houte

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

ITB Clause 19	Bid validity period	Pay Order/ Demand Draft, equivalent to 2% of the total bid price for each LOT quoted by him separately, in the name of DDO Strengthening of MOPDR in IT 90 days (Mutually extendable)	
ITB Clause 26	Date, time and venue of opening of technical bids	of 05-04-2021 at 15:30hrs	
ITB Clause 6	Performance Guarantee / Performance Security	The Performance Security, in the form of Bank Guarantee/ Pay Order/ Demand Draft, shall be 10% of the total contract price quoted at the time of Letter of Acceptance (LOA) and it shall be submitted in the Ministry of Planning, Development & Special Initiatives, Pak Secretariat, Islamabad	

Page 7 | 67

tu-

Terms & Conditions

Table of Clauses

Definitions
Basic Information
Tender Scope
Tender Eligibility
Bidding Process and Evaluation Criteria
Country of Origin
Standards
Performance Security
Inspections and Tests
Packing
Delivery and Documents
Spare Parts
Warranty
Integrity Pact
Ownership of Goods
Defects Liability Expiry Certificate
Payment for Goods Supplied
Disputes Resolution
Extension in Time for performance of Obligations
Assignment/ Subcontract
Governing Language
Applicable Law
Notices & Clarifications
Clarification of the Bidding Document
Duties & Taxes
Bid Validity
Contract Cost
Waiver

Page 8|67

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

29.	Rejection of Bids
30.	Blacklisting
31.	Forfeiture of Performance Guarantee
32.	Termination for Default
33.	Termination for Insolvency
34.	Termination for Convenience
35.	Joint Venture
36.	Right to Alter Quantities & Requirements prior to Bid Submission
37.	Right to Alter Quantities & Requirements at/after Contract Award
38.	Re-Bidding
39.	Force Majeure
40.	Bid Forms, Documents & Attachments
41.	Bid Security/ Earnest Money
42.	Data, Time & Venue of Opening of Bids

How the -

Page 9|67

me for

Instructions to the Bidder - Terms & Conditions

Following are Terms & Conditions for Bidding and subsequent Contract. The provisions mentioned herein will become part of the Contract. Whenever there is a conflict, the Special Provisions shall prevail over General Provisions of the Contract.

1. Definitions

In this document, unless there is anything repugnant in the subject or context:

- a) "Authorized Representative" means any representative appointed, from time to time, by the Client, the Purchaser or the Contractor.
- b) "Availability and Reliability" means the probability that a component shall be operationally ready to perform its function when called upon at any point in time.
- c) "Authority" means Ministry of Planning, Development & Special Initiatives.
- d) "Bidder" means the Firm/Company/Supplier/Distributers fulfilling the eligibility criteria and participating in the bidding for provision of I.T. related equipment as per provision of bid document/ contract.
- e) "Contractor" or "Supplier" means the person/firm/company whose Tender has been accepted and awarded letter of intent followed by the Contract by the Purchaser.
- "Purchaser" means "Strengthening of M/o Planning, Development & Reform in IT" Project, M/o Planning, Development & Special Initiatives, for the purposes of the Contract.
- g) "Contract" means the agreement entered into between the Purchaser and the Contractor, as recorded in the Contract Form signed by the parties, including all Schedules and Attachments thereto and all documents incorporated by reference therein.
- h) "Defects Liability Period" means the warranty period following the taking over, during which the Contractor is responsible for making good, defects and damages in Goods and Services provided, under the Contract.
- "Force Majeure" means an event beyond the control of the Contractor and not involving the Contractor's fault or negligence and not foreseeable. Such events may include, but are not restricted to, wars, revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- j) "Goods" means equipment, machinery, and/or other materials which the Contractor is required to supply to the Purchaser under the Contract.
- k) "Services" means installation, configuration, deployment, commissioning, testing, training, support, after sale service, etc. of Goods and other such obligations which the Contractor is required to provide to the Purchaser under the Contract.
- "Origin" shall be considered to be the place where the Goods are produced or from where the Services are provided. Goods are produced when, through manufacturing, processing or assembling of components, a commercially recognized product results that is substantially different in basic characteristics or in purpose or utility from its components. The origin of

Page 10 | 67

So doll

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

Goods and Services is distinct from the nationality of the Contractor.

- m) "Delivery Acceptance Certificate" means the certificate to be issued by the Client to the Contractor, in accordance with the Contract.
- n) "Works" means work to be done by the Contractor under the Contract.
- o) "Inventory List" means a list of equipment/ supplies bearing details of make/ model/quantity/unit price/ warranty/location of supply/ installation/ manufacturer/authorized workshop, duly signed by the Contractor and verified by the Client.
- p) "Misc. Items" means those items that are not part of any LOT but are included in Schedule of Requirements of this Bidding Document.

2. Basic Information

- 2.1 Bid reference number: 5(4)/IT/PC/2020-21-(1)
- 2.2 The Goods are: IT Equipment, Computer Hardware, Licensed Software, Networking, Video Conferencing, Furniture and Misc. Items.
- 2.3 Commencement date of provision of bidding document is 18-03-2021
- 2.4 Closing date of issuance of Bid documents is 05-04-2021
- 2.5 Submission of clarifications in writing by bidders is 30-03-2021
- 2.6 Pre-Bid Meeting will be held on 30-03-2021
- 2.7 Last date for bid submission will be 05-04-2021 at 3:00pm
- 2.8 Bid Submission Address is as following:

Deputy Director,

"Strengthening of Ministry of Planning, Development and Reform in IT Project", Ministry of Planning, Development and Special Initiatives,

Ground Floor, JACC, 'P'-Block, Pak Secretariat, Islamabad

3. Tender Scope

Ministry of Planning Development & Special Initiatives (M/oPD&SI), (hereinafter referred to as "the Purchaser") invites / requests Proposals (hereinafter referred to as "the Tenders" or "the Bids") for supply and installation of Goods mentioned in this Bidding Document.

4. Tender Eligibility

- 4.1 Eligible Tenderer/ Bidder is a Tenderer/ Bidder who:
- 4.2 has a registered office in Pakistan;
- 4.3 has required relevant experience;
- 4.4 has the required relevant qualified personnel.
- 4.5 is manufacture of Goods/ provider of Services or authorized dealer/distributor/reseller/agent of original manufacturer of Goods / provider of Services.
- 4.6 Conforms to the terms & conditions of "Responsiveness of Bid" given herein in various sections of this tender document.

Page 11 | 67

tal-

5. **Bidding Process & Evaluation Criteria**

The details of bidding process & evaluation criteria is provided in Section II of this document.

6. Country of Origin/ Eligible Countries

- 6.1 All countries and territories as indicated in Section V of the Bidding Documents, "Eligibility for the Provisions of Goods, Works, and Services."
- 6.2 Goods and Services can only be supplied / sources / routed from "origin" in "eligible" member countries. Eligible" is defined as any country or region that is allowed to do business in Pakistan by the law of Government of Pakistan.
- 6.3 "origin" shall be considered to be the place where the Goods are produced or from which the Services are provided. Goods are produced when, through manufacturing, processing or substantial and major assembling of components, a commercially recognized product results that is substantially different in basic characteristics or in purpose or utility from its components

7. Standards

The quoted product, at the time of technical evaluation and on delivery, shall conform to the standards as prescribed in specifications and in the Technical Evaluation Criteria. The said conformance shall lead to subsequent issuance of the Acceptance Certificate to the Supplier by the Purchaser.

8. Performance Security

- 8.1 The successful Tenderer/Bidder shall furnish Performance Security against each successful Lot as under:
 - 8.1.1 within fourteen (14) days of the receipt of the Acceptance Letter from the Purchaser;
 - 8.1.2 in the form of a Bank Guarantee, issued by a scheduled bank operating in Pakistan, as per the format provided in the Tender/ Bidding Document;
 - 8.1.3 for a sum equivalent to 10% of the contract value;
 - 8.1.4 denominated in Pak Rupees;
 - 8.1.5 have a minimum validity period until the date of expiry of warranty period, support period or termination of services, whichever is later.
- 8.2 The proceeds of the Performance Security shall be payable to the Purchaser, on occurrence of any / all of the following conditions:
 - 8.2.1 If the Contractor commits a default under the Contract;
 - 8.2.2 If the Contractor fails to fulfill any of the obligations under the Contract;
 - 8.2.3 If the Contractor violates any of the terms and conditions of the Contract;
 - 8.2.4 The Contractor shall cause the validity period of the performance security to be extended for such period(s) as the contract performance may be extended. The Performance Security shall be returned to the Tenderer within thirty working days after the expiry of its validity on written request from the Contractor.
 - 8.2.5 In case the Contractor fails to furnish Performance security in the shape of bank guarantee within the stipulated period given under Letter of Intent and subsequent formal contract, or till end of the currency of the said contract, the amount of bank guarantee, as required, shall be deducted from the amount payable to the Contractor.
- 8.3 Performance Security shall be returned after successful completion of the contract in accordance with the Warranty & support.

Inspections and Tests

Inspection and tests of Goods and final acceptance is as follows: Equipment Delivery & Inspection Report by Inspection Sub-Committee and followed by issuance of Delivery Acceptance Certificate (DAC) by Assistant Director (Admin & Accounts) on behalf of Procurement Committee to process payment of items.

Page 12 | 67

10. Packing

The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

11. Delivery and Documents

- 11.1 Delivery of all intended items shall be at Ministry of Planning, Development & Special Initiatives, 'P' Block, Pak Secretariat, Islamabad and it shall be maximum eight (08) weeks.
- 11.2 Purchase order can be cancelled along with forfeiture of Performance Guarantee in case of delay exceeding 4 weeks after standard delivery time of 8 weeks mentioned in ITB Clause 11.1.
- 11.3 Applicable Delivery Mode: Delivered Duty Paid (DDP) of Incoterms 2011
- 11.4 Contractor shall indicate his delivery approach clearly specifying the requirements for packing, shipping and unpacking of deliverable hardware, software and documentation. The approach shall address shipment of deliverables to the designated installation site(s). The approach shall also specify any special shipping constraints such as custom requirements, security requirements, access arrangement or loading dock requirements. The Contractor shall deliver the Goods at the locations, as specified by the Purchaser at the time of delivery.
- 11.5 The Contractor shall ensure that the Goods shall be delivered complete to enable the testing to proceed without interruption. If it shall appear to the Purchaser that the Goods have been or are likely to be delayed by reason of incomplete delivery or for any other reasons, he may require the Contractor at the expense of the Contractor to dispatch the missing items of the Goods or suitable replacements thereof to the site of delivery by the fastest available means including air freight.
- 11.6 The Contractor shall provide maintenance, supply and procurement support necessary for Purchaser to maintain all system, at the contracted performance and reliability level. The Contractor shall arrange and pay for the transport of the Goods to the place of destination as specified in the Contract, and the cost thereof shall be included in the Contract Price.

12. Spare Parts

- 12.1 After sale service with spare parts shall be at least 12 months for each item from the Manufacturer (Where applicable).
- 12.2 After sale service without spare parts shall be further 2 years subsequent to period mentioned in Clause 12.1 above. (Where applicable).
- 12.3 The Contractor shall ensure that the Goods provided by the Contractor, under the Contract are standard and of exact or better specifications, and incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- 12.4 The Contractor shall further ensure that the Goods and Services provided by the Contractor, under the Contract shall have no defect, arising from design, materials, installation, configuration, or from any act or omission of the Contractor that may develop under normal use of the provided Goods and Services.
- 12.5 The Contractor shall maintain sufficient backup stock of spare parts and tools locally at sites, for the maintenance of the supplied Goods, during the warranty period.
- 12.6 The Contractor shall ensure availability of spare parts and technical assistance for all components for at least three years, without major changes, after the completion of final acceptance.
- 12.7 The Contractor shall give six months advance notice on any discontinued part(s) with a suggestion for appropriate alternatives failing which will cause forfeiture of Performance Security.

Page 13 | 67

Aug And

& Dde

12.8 The Contractor shall also identify and provide the following:

- items (repairable spares, parts and consumable supplies) that are needed to maintain performance, reliability and availability standards prescribed in the Technical Specifications. The quantity of spare parts and consumable items provided and kept shall be equal to the requirements for one year of operating stock;
- (ii) critical items, whose failure would cause a system failure;
- (iii) items of high cost and/or long lead time (over thirty working days);

13. Warranty

- (a) Warranty as per standard. The Supplier shall, in addition, comply with the guarantees associated with the performance and/or conformance specifications specified under the Contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, at its discretion, either:
 - make such changes, modifications, and/or additions to the Goods or any part thereof as
 may be necessary in order to attain the contractual guarantees specified in the Contract
 at its own cost and expense and to carry out further performance / conformance tests in
 accordance with Clause 9,

or

- pay liquidated damages to the Purchaser with respect to the failure to meet the
 contractual guarantees. The rate of these liquidated damages shall be 1.5% per week up
 to a maximum of 06% of the total Contract price.
- (b) The Contractor shall warrant to the Purchaser that the Goods supplied by the Contractor, under the Contract are genuine, brand new, non- refurbished, un-altered in any way, of the most recent or current model, imported through proper channel, and incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- (c) The Contractor shall further warrant that the Goods supplied by the Contractor, under the Contract shall have no defect, arising from design, materials, workmanship or from any act or omission of the Contractor that may develop under normal use of the supplied Goods/Services.
- (d) The Contractor shall provide Manufacturer's standard warranty (where applicable) for standard duration (hereinafter referred as Warranty Period), after the issue of Acceptance Certificate in respect of Goods and Services or any portion thereof, as the case may be, which will include:
 - a. Free, on site repair / replacement of defective / damaged parts and labor, within 24 hours of intimation at Purchaser's premises in Islamabad and within 72 hours in case of operational office out of Islamabad;
 - On site replacement of defective/ damaged Goods, if repair of such Goods involves a duration exceeding 24 hours.
- (e) The Warranty Period shall start from the date of installation/ configuration/ deployment of the Goods on site.
- (f) The Purchaser shall, by written notice served on the Contractor, promptly indicate any claim(s) arising under the warranty. The Contractor shall, within the prescribed time period, after receipt of such notice, repair or replace the defective/damaged Goods or parts thereof on site, without any cost to the Purchaser.
- (g) The Bidders shall clearly mention Terms and Conditions of service agreements for the Goods to be supplied after the expiry of initial warranty period. In case of International Warranties, the local authorized dealers shall mention their service setup, details of qualified engineers, etc.
- (h) The Purchaser retains the right to enter or NOT into annual maintenance contract with the Supplier for the goods supplied.
- (i) The end user licenses and end user warranties shall be in the name of Purchaser, for the

Joseph Seel

age 14 | 67

Goods supplied under the Contract.

14. Integrity Pact

Procurements exceeding the prescribed limit **specified in the BDS** shall be subject to an integrity pact, as specified by regulation with approval of the Federal Government, between the procuring agency and the suppliers or contractors.

15. Ownership of Goods and Replaced Components

Goods to be supplied to the Purchaser, pursuant to the Contract, shall become the property of the Purchaser when the Goods are taken over by the Purchaser. Defective components to be replaced by the Contractor, pursuant to the Contract, shall become the property of the Contractor as and where it lies after successful replacement of the same.

16. Defects Liability Expiry Certificate

- 16.1 The Contractor shall, after expiry of the Warranty Period, by written notice served on the Purchaser, apply for a Defects Liability Expiry Certificate.
- 16.2 The Purchaser shall, within seven days of receipt of such notice, either issue the Defects Liability Expiry Certificate to the Contractor, stating the date of expiry of the Warranty Period for all the Goods supplied and fulfillment of all obligations by the Contractor, under the Contract; or reject the application giving the reasons and specifying the work required to be done by the Contractor to enable the Defects Liability Expiry Certificate to be issued.

17. Payment for Goods supplied

The method and conditions of payment to be made to the Supplier under the Contract shall be as follows:

Payment shall be made in **Pak. Rupees** through **crossed cheque** in the following manner: 100% percent of the Contract Price of the Goods shall be processed to Supplier within thirty (30) days from the time of delivery subject to inspection, installation, commissioning and acceptance of complete system on provision of documents specified as follows:

- The Supplier in accordance with the terms and manner specified in the Schedule of Requirements shall make delivery of the goods.
- The Supplier shall furnish all necessary documentation necessary for completion of the delivery, at the time of delivery and in the manner prescribed.
- iii. The goods supplied under the Contract shall be Delivered Duty Paid (DDP) under which risk is transferred to the buyer after the Goods have been delivered and accepted.

18. Disputes Resolution

- 18.1 The Purchaser and the Contractor shall make every effort to amicably resolve, by direct informal negotiation, any disagreement or dispute arising between them under or in connection with the Contract.
- 18.2 If, after thirty working days, from the commencement of such informal negotiations, the Purchaser and the Contractor have been unable to amicably resolve a Contract dispute, either party may, require that the dispute be referred for resolution by arbitration under the Pakistan Arbitration Act, 1940, as amended, by one or more arbitrators selected in accordance with said Law. The place for arbitration shall be Islamabad, Pakistan. The award shall be final and binding on the parties.

19. Extensions in time for performance of obligations under the Contract

If the Contractor encounters conditions impeding timely performance of any of the obligations, under the Contract, at any time, the Contractor shall, by written notice served on the Purchaser, promptly indicate the facts of the delay, its likely duration and its cause(s). As soon as practicable

Page 15 | 67

& Dde

Aut fue

after receipt of such notice, the Purchaser shall evaluate the situation and may, at its exclusive discretion, without prejudice to any other remedy it may have, by written order served on the Contractor, extend the Contractor's time for performance of its obligations under the Contract.

20. Assignment / Subcontract

20.1 The Contractor shall not assign or sub-contract its obligations under the Contract, in whole or in part, except with the Purchaser's prior written consent.

20.2 The Contractor shall guarantee that any and all assignees / subcontractors of the Contractor shall, for performance of any part / whole of the work under the contract, comply fully with the terms and conditions of the Contract applicable to such part / whole of the work under the contract.

21. Governing Language

The Governing Language shall be: English

22. Applicable Law

22.1 The Contract shall be governed by and interpreted in accordance with the laws of Pakistan.

- 22.2 The Contractor shall, in all matters arising in the performance of the Contract, conform, in all respects, with the provisions of all Federal, Provincial and Local Laws, Statutes, Regulations and By-Laws in force in Pakistan, and shall give all notices and pay all fees required to be given or paid and shall keep the Purchaser indemnified against all penalties and liability of any kind for breach of any of the same.
- 22.3 The Courts at Islamabad shall have the exclusive territorial jurisdiction in respect of any dispute or difference of any kind, arising out of or in connection with the Contract.

23. Notices & Clarifications

23.1 Purchaser's address for notices and clarification purposes:

Assistant Director (Admin & Accounts),
Strengthening of M/o PDR in IT Project,
JACC, Ground Floor, 'P'-Block, MOPD&SI, Pak Secretariat, Islamabad

Telephone(s): +92-51-9219861 E-Mail: ad_jacc@pc.gov.pk

23.2 Supplier should provide focal person's contact details, i.e., name, address, telephone, email.

24. Clarification of the Bidding Document

The prospective bidders may solicit clarification of the Bidding Document, within the duration specified at Clause 2.5, in writing at the address mentioned at Clause 23.1. The clarification and its replies will be shared with all prospective bidders.

25. Duties, Taxes & Levies

25.1 The Unit price quoted by the bidder shall be: inclusive of all duties, taxes & levies. The Contractor shall be entirely responsible for all taxes, duties and other such levies imposed and to make inquiries on income tax / sales tax to the concerned authorities of Income Tax and Sales Tax Department, Government of Pakistan

25.2 All items in the Bid shall be quoted in Pakistan Rupees (PKR) and remain valid as per Clause 25 herein.

26. Bid Validity

26.1 The Bidder shall provide a minimum validity period of ninety (90) days from the last date for submission of the Bids.

Page 16 | 67

July full

26.2 The Purchaser, at any time before final contract signing, may solicit the Bidder's consent to an extension of the validity period of the Bid. The request and the response thereto shall be made in writing. If the Bidder agrees to extension of validity period of the Bid, the validity period of the Bid security shall also be proportionately extended. The Bidder may refuse extension of validity period of the Bid, without forfeiting the Bid security.

27. Contract Cost

The Contractor shall bear all costs / expenses associated with the preparation of the Contract and the Purchaser shall in no case be responsible / liable for those costs / expenses.

28. Waiver

Failure of either party to insist upon strict performance of the obligations of the other party, under the Contract, shall in no way be deemed or construed to affect in any way the right of that party to require such performance.

29. Rejection of Bids

- 29.1 Bids will be submitted for each and every item of LOT 1 to 4 mentioned in Section III: Schedule of Requirements of the Bidding Document. Bids with selective items for LOT 1 to 4 will not be entertained. Any item that does not fulfil described specifications and mandatory requirements, the bid shall be rejected straightaway.
- 29.2 Bids can be submitted for any or all items of LOT 5 mentioned in Section III: Schedule of Requirements of the Bidding Document. Bids with selective items for LOT 5 are allowed. However, any item that does not fulfil described specifications and mandatory requirements, that item shall be rejected straightaway.
- 29.3 The Procuring Agency may reject any or all bids at any time prior to the acceptance of a bid. The Procuring Agency shall upon request communicate to any Bidder who submitted a bid, the grounds for its rejection of any or all bids but is not required to justify those grounds.
- 29.4 The Procuring Agency incurs no liability, solely by virtue of its invoking ITB Clause 28.1 above towards Bidders who have submitted bids.
- 29.5 Notice of the rejection of any or all bids shall be given to the concerned Bidders that submitted bids.

30. Blacklisting

- 30.1 If the Contractor fails / delays in performance of any of the obligations, under the Contract / Letter of Intent, violates any of the provisions of the Contract / Letter of Intent, commits breach of any of the terms and conditions of the Contract or Letter of Intent, the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, blacklist the Contractor, either indefinitely or for a stated period, for future tenders in public sector.
- 30.2 If the Contractor is found to have engaged in corrupt or fraudulent practices in competing for the award of contract, during procurement process or during the execution of the contract, the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, blacklist the Contractor, either indefinitely or for a stated period, for future tenders in public sector.

31. Forfeiture of Performance Security

- 31.1 If the Contractor fails / delays in performance of any of the obligations, under the Contract / Letter of Intent, violates any of the provisions of the Contract / Letter of Intent, commits breach of any of the terms and conditions of the Contract or letter of Intent, the Purchaser may, without prejudice to any other right of action / remedy it may have, forfeit Performance Security of the Contractor.
- 31.2 Failure to supply required items/ services within the specified time period will invoke

2 Dde

Page 17 | 67

Hotel ful

penalty as specified in this document. In addition to that, Performance Security amount may be forfeited and the company may not be allowed to participate in future tenders as well.

32. Termination for Default

- 32.1 If the Contractor fails / delays in performance of any of the obligations, under the Contract/ violates any of the provisions of the Contract/ commits breach of any of the terms and conditions of the Contract the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, by written notice served on the Contractor, indicate the nature of the default(s) and terminate the Contract, in whole or in part, without any compensation to the Contractor. Provided that the termination of the Contract shall be resorted to only if the Contractor does not cure its failure / delay, within fifteen working days (or such longer period as the Purchaser may allow in writing), after receipt of such notice.
- 32.2 If the Purchaser terminates the Contract for default, in whole or in part, the Purchaser may procure, upon such terms and conditions and in such manner as it deems appropriate, Goods / Services / Works, similar to those undelivered, and the Contractor shall be liable to the Purchaser for any excess costs for such similar Goods / Services / Works. However, the Contractor shall continue performance of the Contract to the extent not terminated.

33. Termination for Insolvency

If the Contractor becomes bankrupt or otherwise insolvent, the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, by written notice served on the Contractor, indicate the nature of the insolvency and terminate the Contract, in whole or in part, without any compensation to the Contractor.

34. Termination for Convenience

- 34.1 The Purchaser may, at any time, by written notice served on the Contractor, terminate the Contract, in whole or in part, for its convenience, without any compensation to the Contractor.
- 34.2 The Goods and the Services which are complete or to be completed by the Contractor, within thirty working days after the receipt of such notice, shall be accepted by the Purchaser. For the remaining Goods, the Purchaser may elect:
 - · to have any portion thereof completed and delivered; and/or
 - to cancel the remainder and pay to the Contractor an agreed amount for partially completed Goods, Services, Works and materials / parts previously procured by the Contractor for the purpose of the Contract, together with a reasonable allowance for overhead & profit.

35. Joint Venture

Joint Venture is allowed. JV deed and relevant documents regarding deed constituted prior to bid submission date will be submitted and entertained. The bidder should not subcontract any work as a part of this project after submission of bids, without prior written consent from Ministry of Planning, Development & Special Initiative.

36. Right to Alter Quantities and requirements prior to Bid submission

- 36.1 At any time prior to the deadline of submission of Bids, Purchaser may for any reason, whether at its own initiative or in response to a clarification requested by bidders, modify the Bid Document by amendment, which will be communicated through email to the bidders who have already been issued Bid Document.
- 36.2 All such amendments shall become part of the Bid Document.
- 36.3 Purchaser reserves the rights to alter quantities, revise/modify all or any of the specifications, delete some items specified in this offer, when finalizing its requirements.

Pag

Just + 4

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

36.4 No Commitment to Accept Lowest or Any Bid: Purchaser shall be under no obligation to accept the lowest or any other offer received in response to this bid notice and shall be entitled to reject any or all bids without assigning any reason whatsoever.

Right to Alter Quantities and requirements at time of or after Contract Award

- 37.1 The Purchaser may, at any time, by written notice served on the Contractor, alter, amend, omit, increase, decrease or otherwise change the nature, quality, quantity and scope, of all / any of the Goods / the Services / the Works, in whole or in part.
- 37.2 The Contractor shall, within ten working days of receipt of such notice, submit a cost estimate and execution schedule of the proposed change (hereinafter referred to as the Change), to the Purchaser.
- 37.3 The Contractor shall not execute the Change until and unless the Purchaser has allowed the said Change, by written order served on the Contractor
- 37.4 The Change, mutually agreed upon, shall constitute part of the obligations under this Contract, and the provisions of the Contract shall apply to the said Change.
- 37.5 No variation in or modification in the Contract shall be made, except by written amendment signed by both the Purchaser and the Contractor.

Re-Bidding

- 38.1 If the procurement entity has rejected all bids under Rule, it may call for a re-bidding.
- 38.2 The Procuring Agency before invitation for re-bidding shall assess the reasons for rejection and may revise specifications, evaluation criteria or any other condition for Bidders, as it may deem necessary.

Force Majeure

- 39.1 Force Majeure shall mean any event, act or other circumstances not being an event, act or circumstance under the control of the Purchaser or of the Contractor. Non-availability of materials/supplies or of import license or of export permit shall not constitute Force Majeure. If by reasons of Force Majeure supplies cannot be delivered by the due delivery date then the delivery date may be extended appropriately by the Purchaser keeping in view all the circumstances and requirements of the Purchaser.
- 39.2 The Contractor shall not be liable for liquidated damages, forfeiture of its Performance Security, blacklisting for future tenders, termination for default, if and to the extent his failure / delay in performance /discharge of obligations under the Contract is the result of an event of Force Majeure.
- 39.3 If a Force Majeure situation arises, the Contractor shall, by written notice served on the Purchaser, indicate such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Contractor shall continue to perform under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

40. Bid Forms, Documents & Attachments

- 40.1 In case bidders are quoting for more than one LOT, Bidders must submit separate Proposals for each LOT.
- 40.2 The Technical Proposal shall comprise the following forms and documents, without quoting the price:

For All LOTS

- a) Technical Proposal Covering Letter (Tech Form 1)
- b) Bid Cover Sheet (Tech Form 2)
- c) Affidavit (All terms & conditions and qualifications listed anywhere in the tender document have been satisfactorily vetted and agreed) (Tech Form 3)
- d) Evidence of eligibility of the Bidder and the Goods (Tech Form 4)

& Oder

Page 19|67

Only for LOT 1 to 4

- e) Authorization Certificate / document from the principal / manufacturer. (Tech Form 5)
- f) Integrity Pact Certificate for Contract greater than Rs. 10.00 million (Tech Form 6)
- g) Summary of Similar Contracts/ Projects (Completed & Ongoing) (Tech Form 7)
- h) CVs of Technical Resources (Tech Form 8)

For All LOTS

- i) Technical Brochures / Literature (if any)
- j) Project Timeline for Delivery, Installation & related Services
- k) The statement must be signed by the authorized representative of the Bidder
- Valid Registration Certificate for Income Tax, Sales Tax and ATL status.
 Details of Warranty, After-Sale Service, spare parts and onsite support
- n) Compliance Sheet Checklist ensuring Conformity of the Goods / Services to the Bid Document.
- 40.3 The Financial Proposal shall comprise the following forms and instruments:
 - a) Financial Proposal Covering Letter (Fin Form 1)
 - b) Price Schedule (Fin Form 2)
 - c) Bid Security equal to 2% of Bid Value of the LOT quoted.

41. Bid Security/ Earnest Money

The Bidder shall furnish, as part of its bid, a Bid Security/Earnest Money equivalent to 2% of the total bid price for quoted LOT in the name of DDO, Strengthening of MOPDR in IT Project.

42. Date, time and venue of opening of Bids

- 42.1 Technical Proposal will be opened 30 minutes after Bid Submission on the same date and venue as of Bid submission mentioned in Clause 2.
- 42.2 Date, time and venue of opening of Financial Proposals will be communicated by the Purchaser only to the technically qualified & compliant bidders at an appropriate time.

hose of

tal. -

SECTION II Bidding Process & Evaluation Criteria

2) Le

alub tun

Page 21 | 67

Section II: Bidding Process, Evaluation Procedure & Criteria of Bids

Bidding Process

Single stage two envelops bidding process will be adopted where bids will be selected for each LOT separately under Quality and Cost Based Selection (QCBS) System and procedures described in this Bid Document, in accordance with the PPRA Rules.

Bidding Process, Evaluation Procedure & Criteria for Bids is mentioned as follows:

1. Submission of Bids

Single stage - two envelopes, procedure would be adopted for submission and opening of bids.

- 1.1. For each LOT, separate bids should be submitted by the Bidder.
- 1.2. The bid for a LOT shall comprise a single package containing two separate envelopes. Each envelope shall contain separately the Financial Proposal and the Technical Proposal;
- 1.3. The envelopes shall be marked as "TECHNICAL PROPOSAL LOT # _ " and "FINANCIAL PROPOSAL LOT # _ " in bold and legible letters to avoid confusion; The LOT # must be mentioned by the Bidder.
- 1.4. Initially, only the envelope marked "TECHNICAL PROPOSAL" shall be opened.

2. Opening of the Bids

- 2.1. Bids shall be opened, at the given place, time and date, in the presence of the Bidder(s) for which they shall ensure their presence without further invitation.
- 2.2. Initially, Technical Proposals shall only be opened and evaluated for compliance to technical requirement of this document, without reference to the price and reject any proposal which does not conform to the specified requirements as listed in said Sections.
- 2.3. The Bidder's name, modifications, withdrawal, security, attendance of the Bidder and such other details as the Purchaser may, at its exclusive discretion, consider appropriate, shall be announced and recorded.
- 2.4. No bidder or its representative will be allowed to keep any digital device (camera, audio recorder, cell phone etc.) during bid opening meeting at given time and location. Non-compliance will cause the rejection of respective bidder.
- 2.5. All the bid documents so opened will be signed by all the members of Purchase/ Procurement Committee and no addition, deletion, detachment thereof in the bid documents furnished would be entertained from bidder(s) after the opening of bids except required or dealt under the clauses of bidding documents.

Page 22 | 67

Modification / Withdrawal of the Bid

- 3.1. The Bidder may, by written notice served on the Purchaser, modify or withdraw his Bid after submission of the Bid, prior to the deadline for submission of the Bid.
- 3.2. The Bid, withdrawn after the deadline for submission of the Bid and prior to the expiration of the period of the Bid validity, shall result in forfeiture of the Bid Security.

Clarification of the Bid

4.1. The Purchaser shall have the right, at his exclusive discretion, to require, in writing, further information or clarification of the Bid, from any or all the Bidder(s). No change in the price or substance of the Bid shall be sought, offered or permitted except as required to confirm the corrections of arithmetical errors discovered in the Bid. Acceptance of any such correction is sole discretion of the Purchaser.

Rejection / Acceptance of the Bid

- 5.1. The Purchaser shall have the right, at his exclusive discretion, to increase / decrease the quantity of any or all item(s) without any change in unit prices or other terms and conditions, accept a tender, reject any or all bid(s), cancel / annul the tendering process at any time prior to award of Contract against each Lot, without assigning any reason or any obligation to inform the Bidder of the grounds for the Purchaser's action, and without thereby incurring any liability to the Bidder and the decision of the Purchaser shall be final.
- 5.2. The Bid shall be rejected if it is:
 - 5.2.1. substantially non-responsive; or
 - submitted in other than prescribed forms, annexes, schedules, charts, drawings, documents / by other than specified mode; or
 - 5.2.3. incomplete, un-sealed, un-signed, printed (hand written), partial, conditional, alternative, late; or
 - 5.2.4. not submitted separately against each Lot and relevant bid security is not submitted against each Lot separately.
 - 5.2.5. subjected to interlineations / cuttings / corrections / erasures / overwriting; or
 - the Bidder refuses to accept the corrected Total Bid Price; or 5.2.6.
 - 5.2.7. the Bidder has conflict of interest with the Purchaser; or
 - the Bidder tries to influence the Bid evaluation / Contract award; or 5.2.8.
 - 5.2.9. the Bidder engages in corrupt or fraudulent practices in competing for the Contract award.
 - 5.2.10. there is any gross discrepancy between bidding documents and bidder's proposal i.e., any non-conformity or inconsistency or informality or irregularity in the submitted bid.
 - 5.2.11. the Bidder submits any financial conditions as part of its bid which are not in conformity with bidding document.

& Oder

Page 23 | 67

A. EVALUATION FOR LOTS 1 to 4

The bidding process will involve the steps along with timelines as mentioned in Bid Data Sheet.

- 1. To enable bidder to prepare the proposal, a list of attached document formats have been provided in Section IV- Standard Forms.
- 2. At any time before the submission of proposals, the Purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by any bidder, modify the Documents by amendment. The clarification on bids or any amendments of the bid will be intimated to all Bidders listed with the Purchaser for this Bid in writing. The Purchaser may at its discretion extend the deadline for the submission of proposals.

a. Technical Evaluation Procedure

The bid submitted by the Bidder will be evaluated as per the following procedure:

- 1. First level of evaluation will be based on mandatory criteria. Only those firms who fulfill mandatory criteria will qualify for next round of evaluation.
- 2. Second level of evaluation will be on the basis of the Technical Bid, which will include compliance to technical specifications of each item and other factors mentioned in this bid document.
- 3. Bids that pass technical evaluation criteria, will be opened for financial evaluation.

b. List of Mandatory Documents for Eligibility for LOTs 1 to 4.

S #.	Documents.	Validity
1	Certificate of Company/Firm Registration/Incorporation under the laws of Pakistan with minimum 5 years of Relevant Experience	Valid certificate from concerned regulator/ authority required.
2	Registration of NTN with Federal Board of Revenue (FBR) and having Active Tax Payer status.	Valid NTN with active Status
3	Registration of General Sales Tax (GST) with Federal Board of Revenue (FBR) and having Active Tax Payer status.	Valid GST registration with active Status
4	The bidder should have fully operational office/ branch in Pakistan.	Address of Office/ Branch in Pakistan

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

5	Tt. 1. + 1: - 1 1 1: 1 1 1 1 1	A CC 1 1 1 1 1 1
9	Undertaking on legal valid and attested stamp paper that the firm is not blacklisted and not involved in litigation with any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan. In case involved in any litigation process, proof of dispute resolution is	Affidavit on judicial stamp paper of Rs. 50/-
	required.	
6	Authorized Distributors, Resellers or Authorized Letter from mentioned Partners for items where applicable. As Per Tech Form 5	Valid Certificate or Letter of Authorization
7	Financial Strength/ Soundness	Audited Financial Reports for recent three years
8	Proof of completed and ongoing projects (Required information includes project name, customer, amount of contract work in Pak Rs., completion date/ ongoing)	List of projects along with required information
9	Technical human resource to provide support services / assistance during active period of Contract.	Team List with relevant training /certification
10	ISO 9001 Certification (only for Lots 1, 2 & 4)	Valid ISO certificate
11	Compliance to the technical specifications of hardware (all quoted items) to be procured mentioned in Schedule of Requirements of this document.	Confirmation/ assurance in Covering Letter on company's letter head
12	Assurance of providing after sales service, onsite support and spare parts for supplied equipment as per requirements mentioned in this Bidding Document.	Assurance on company's letter head
13	Compliance/ Data sheet shall be provided. Unless the submission of the same, bid shall be considered rejected straight away.	Compliance Sheet & Data Sheets

c. Technical Evaluation - Scoring Criteria

Detailed technical evaluation of those firms would be performed which would qualify the above tabulated mandatory evaluation criteria. The technical evaluation would be performed by the Technical Evaluation Committee. Rating for technical evaluation will be as per following criteria:

& Dde

Hadin fre-

Page 25 | 67

Sr.#	Criteria	Marks	
1	Technical Experience		
(i)	Ongoing & Completed Projects of similar nature & size for clients in Public/ Private Sector Departments/Organizations: (Max. 20 Marks): a. Lot 1: IT Hardware including Servers, SAN storage, Desktops, Laptops, Printers etc. Each Project having worth of more than Rs. 20 Million → 2.5 Marks	30	
	 b. Lot 2: Equipment & Installation, configuration and commissioning of Networking (Wired/Wireless) including LAN/WAN Each Project having worth of more than Rs. 20 Million → 2.5 Marks 		
	c. Lot 3: Interactive Eqpt, Digital Signage etc. Each Project having worth of more than Rs. 01 Million → 04 Marks		
	 d. Lot 4: Equipment & Installation, configuration and commissioning of Video Conferencing System/ Solution Each Project having worth of more than Rs. 20 Million → 04 Marks 		
(ii)	Manufacturer Authorization Certificate (Max 05 Marks) a. Authorized Distributor → 05 Marks b. Reseller → 02 Marks		
(iii)	ISO 9001 Certificate → 05 Marks		
2	Financial Soundness/ Strength Ongoing & Completed Projects of similar nature & size for clients in Public/ Private Sector Departments/Organizations: a. Lot 1: IT Hardware including SAN storage, connectivity, Desktops,	20	
	Laptops, Printers etc. Annual Sales Turnover: • Above PKR 200 million → 20 Marks • Between PKR 199 to 125 million → 15 Marks • Between PKR 124 to 75 million → 10 Marks • Between PKR 74 to 50 million → 05 Marks • Less than PKR 50 Million → 0 Marks		
	 b. Lot 2: Equipment & Installation, configuration and commissioning of Networking (Wired/Wireless) including LAN/WAN Annual Sales Turnover: Above PKR 200 million → 20 Marks Between PKR 199 to 125 million → 15 Marks Between PKR 124 to 75 million → 10 Marks Between PKR 74 to 50 million → 05 Marks Less than PKR 50 Million → 0 Marks 		

Page 26 | 67

for

Hat -

	 c. Lot 3: Interactive Eqpt., Digital Signage etc. Annual Sales Turnover: Above PKR 50 million → 20 Marks Between PKR 49 to 25 million → 15 Marks Between PKR 24 to 15 million → 10 Marks Between PKR 14 to 10 million → 05 Marks Less than PKR 10 Million → 0 Marks d. Lot 4: Equipment & Installation, configuration and commissioning of Video Conferencing System/ Solution Annual Sales Turnover: Above PKR 100 million → 20 Marks Between PKR 99 to 75 million → 15 Marks Between PKR 74 to 50 million → 10 Marks Between PKR 49 to 25 million → 05 Marks Less than PKR 25 Million → 0 Marks 	
3	Technical Staff strength: (Maximum 20 Marks) For LOT 1 & 2: • Technical Staff strength (10 or above) employees → 20 Marks • Technical Staff strength between 05-09 employees → 10 Marks • Technical Staff strength between 01-04 employees → 05 Marks For LOT 3 & 4: • Technical Staff strength (above 5) employees → 20 Marks • Technical Staff strength between 05-03 employees → 10 Marks • Technical Staff strength with 02 employee → 05 Marks	20
4	Implementation Approach/ Plan	
(i)	Implementation Approach Fian Implementation Approach (includes approach, Maintenance, Quality) → Maximum 05 Marks	
(ii)	 Support Plan: Proposed Plan, Support Team and Experience, Response time, Warranties, onsite maintenance & technical support → Maximum 05 Marks 	
(iii)	 Project Timeline for delivery and installation: (Maximum 10 Marks) ○ Within 6 Weeks → 10 Marks ○ Between 6 to 8 Weeks → 5 Marks ○ More than 8 Weeks → 0 Marks 	
	Overall Proposal presentation in terms of Conciseness Clarity,	
(iv) •	Completeness → Maximum 10 Marks	

& Oder

Page 27 1.67

d. Technical Evaluation - Qualification Criteria

- i. PASS MARKS: A technically eligible bidder, based on conditions listed in this document, not meeting the 70% pass marks limit will be rejected in Technical Evaluation, and its sealed/unopened Financial Proposal shall be returned back. All bidders scoring greater than or equal to 70% of the marks will be accepted in technical proposal, and their financial bids will be opened.
- ii. **PROVISO**: Provided that if NONE or ONLY ONE (single) bidder exceeds the 70% pass mark, then the Purchaser SHALL decrease the Pass Mark limit to 60%. In other words, if TWO or more bidders exceed 70%, then the Pass Mark will NOT be decreased to 60%.
- iii. If Pass Marks are decreased to 60%, then ALL bidders with scores greater than or equal to 60% shall be considered EQUALLY as approved in the Technical Evaluation, and their Financial Bids shall be opened.
- iv. The Bidders who have duly complied with the Eligibility/Qualification and Evaluation Criteria against each Lot will be eligible for further processing.
- v. The Bids which do not conform to the Technical Specifications or Bid conditions or the Bids from the Bidders without adequate capabilities for supply and maintenance / warranty services will be rejected.
- vi. The Eligible/Technically Qualified Bidders alone will be considered for further evaluation.

Note: Verifiable documentary proof for all above requirements and criteria points are mandatory requirement and marks will be awarded on the basis of these verifiable proofs.

e. Financial Evaluation Procedure

- i. Technically qualified/successful bidder(s)/Tenderer(s) shall be called for opening of the Financial Proposal(s). The Financial Proposals will be opened in the presence of the Bidders at the time and venue indicated by the Purchaser subsequently. The Eligible/Successful Bidder(s)/Tenderer(s) or their authorized representatives against each Lot shall be allowed to attend the Financial Proposal(s) opening against their relevant Lot(s).
- ii. The financial bid so opened will be signed by all the members of Purchase/ Procurement Committee and no addition, deletion, detachment thereof in the bid documents furnished would be entertained from bidder(s) after the opening of bids except required or dealt under the clauses of bidding documents.
- iii. The Financial Proposal evaluation will be conducted under the PPRA 2004. The Price evaluation will include all duties, taxes and expenses etc. In case of any exemption of duties and taxes made by the Government in favor of the Purchaser, the contractor shall be bound to adjust the same in the Financial Proposal.
- iv. The opened financial proposals will be evaluated and amount totals will be checked/verified for correctness. In cases of discrepancy between the cost/price quoted in Words and in Figures, the lower of the two will be considered.
- v. In evaluation of the price of an imported item, the price will be determined and considered inclusive of the customs and other import duties etc.;

Page 28 | 67

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

- vi. In evaluation of the price of articles/goods which are subject to excise duty, sales tax, income tax or any other tax or duty levied by the Government, the price will be determined and considered inclusive of such duties and taxes.
- vii. The Purchaser will not be responsible for any erroneous calculation of tax rates or any subsequent changes in rates or structure of applicable taxes. All differences arising out as above shall be fully borne by the Successful Bidder.
- viii. The Financial Proposal found technically nonresponsive or unqualified shall be returned unopened to the respective bidders.

f. Bid Price

- i. The quoted price shall be:
 - best / final / fixed and valid until completion of all obligations under the Contract, i.e., not subject to variation / escalation;
 - 2) in Pak Rupees;
 - 3) inclusive of all taxes, duties, levies, insurance (if necessary), and freight, etc.
 - 4) inclusive of installation, configuration, commissioning, etc.
- ii. Each cost identified as after sales service, spare parts, replenishments, recurring cost, or any other equipment rental, inventory or any maintenance/support services thereof, should be quoted separately and clearly in the financial bid.
- iii. If not specifically mentioned in the Proposal Bid(s), it shall be presumed that the quoted price is as per the requirements specified.
- iv. Where no prices are entered against any item(s), the price of that item shall be deemed to have been distributed among the prices of other items, and no separate payment shall be made for that item(s).

g. Financial Evaluation - Scoring Criteria for LOTs 1 to 4

In each LOT, Financial bids of only those bidders who Score at least 70% on the technical evaluation would be opened before the representatives who wish to attend the tender opening.

The Financial Evaluation scores for each bidder will be calculated as follows:

Price/ total amount quoted by lowest bidder in LOT =	A
Price/ total amount quoted by second lowest bidder in LOT =	В
Price/ total amount quoted by third lowest bidder in LOT =	C
Financial score of the lowest bidder will be =	100
Financial score of the second lowest bidder will be =	(A/B)*100
Financial score of the third lowest bidder will be =	(A/C)*100

For each LOT, Financial score for subsequent higher-priced bidders will be calculated in a similar way as described above.

Page 29 | 67

Page 29 | 67

h) Final Evaluation Scoring for LOT 1 to 4

In the final evaluation, the technical bids will carry a weightage of 70 points while the financial bids will have a weightage of 30 points.

The Procurement Committee would make the decision for recommendation of the successful bidder in a LOT according to the final score obtained by each compliant bidder as per the following formula:

Final Score = Technical Score Obtained x 0.7 + Financial Score Obtained x 0.3

In each LOT, the Bidder obtaining maximum Final Score in that LOT will be ranked as number 1 and subsequent bidders ranked accordingly. The decision of the Committee will be binding on all concerned and will in no case be changeable in any forum.

B. EVALUATION FOR LOT 5: MISC. ITEMS

The Bidders can quote for any or all items in one Proposal/ Bid mentioned under LOT 5: MISC ITEMS in Section III: Schedule of Requirements. The evaluation and selection of each of the items quoted will be made separately.

a. Technical Evaluation Procedure

- The bidding process will involve the steps along with timelines as mentioned in Bid Data Sheet.
- 2. To enable bidder to prepare the proposal, a list of attached document formats have been provided in Section IV- Standard Forms. The Bidder must fill and attach the following forms with the bid:
 - i. TECH FORM 1 to TECH FORM 4
 - ii. FIN FORM 1 and FIN FORM 2
 - iii. SECTION V: Eligible Countries
- 3. The bid submitted by the Bidder will be evaluated as per the following procedure:
 - First level of evaluation will be based on mandatory criteria. Only those firms who
 fulfill mandatory criteria will qualify for next round of evaluation.
 - Second level of evaluation will be on the basis of the Technical Bid, which will include compliance to technical specifications of each item and other factors mentioned in this bid document.
- 4. Bids that pass technical evaluation, will be opened for financial evaluation.

Page 30 | 67

A4-

Procurement & Installation of IT Equipment/Computer Hardware, Licensed Software, Networking, Video Conferencing System, Furniture and Misc. Items for Financial Year 2020-21

c. List of Mandatory Documents for Eligibility.

1	Registration of NTN with Federal Board of Revenue (FBR) and having Active Tax Payer status.	Valid NTN with active Status
2	Registration of General Sales Tax (GST) with Federal Board of Revenue (FBR) and having Active Tax Payer status.	Valid GST registration with active Status
3	The bidder should have fully operational office/ branch in Pakistan.	Address of Office/ Branch in Pakistan
4	Undertaking on legal valid and attested stamp paper that the firm is not blacklisted and not involved in litigation with any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan. In case involved in any litigation process, proof of dispute resolution is required.	Affidavit on judicial stamp paper of Rs. 50/-

d. Evaluation - Scoring Criteria for LOT #5

(i) Technical evaluation

As part of the technical evaluation, mandatory documents will be checked for the technical bids as per information tabulated above. Detailed technical evaluation of those firms would be performed which would qualify the above tabulated mandatory evaluation criteria. The technical evaluation would be performed by the Procurement Committee.

Rating for technical evaluation will be as per following criteria:

A quality inspection of the sample of the quoted item(s) will be made by the Procurement Committee. The Bidder shall provide sample of quoted item(s) only when requested by the Committee. Each member will award numbers independently for an item on a scale of 1 to 10. The awarded numbers will be aggregated to arrive at the total technical score for the item quoted as follows:

Technical Score Obtained by Bidder = (Sum of marks given by all members) / (10 x no. of members) x 100.

(ii) Financial Evaluation of LOT #5

For each item quoted, Financial bids of only those bidders who Score at least 70% on the technical evaluation of the item would be opened before the representatives who wish to attend the tender opening.

As part of Financial Evaluation, financial proposals will be checked for compliance and correctness of amount and calculated totals for each item of technically compliant/ qualified

& Joles

Page 31 | 67

Hal Jak

bidder.

For each item, in LOT #5, the lowest financial compliant proposal/ bidder will be awarded the contract for that item.

For each item, the decision of the Committee will be binding on all concerned and will in no case be changeable in any forum.

C. AWARD AND ACCEPTANCE PROCESS

1. Award Criteria

1.1. In each LOT, the Bidder obtaining maximum Final Score in that LOT will be ranked as number 1 and subsequent bidders ranked accordingly. The decision of the Committee will be binding on all concerned and will in no case be changeable in any forum.

2. Acceptance Letter (Letter of Intent)

- 2.1. As per provisions of Rule (38) of PPRA Rules 2004, the Purchaser shall, send the Acceptance Letter (Letter of Intent) to the successful Bidder, prior to the expiry of the original validity period or extended validity period of the Bid, which shall constitute a contract, until execution of the formal Contract against each Lot.
- 2.2. However, the Purchaser reserves exclusive rights to cancel the letter of intent at any time, before signing of the formal contract without giving any reason thereof. The supply time of the contractor shall start from date of issuance of the letter of intent.

3. Redressal of grievances by the procuring agency

- 3.1. The procuring agency shall constitute a committee comprising of odd number of persons, with proper powers and authorizations, to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
- 3.2. Any bidder feeling aggrieved by any act of the procuring agency after the submission of his bid may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
- 3.3. The committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint.
- 3.4. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

of less of

Page 32 | 67

SECTION III Schedule of Requirements

& Jde

Hul-

Summary List of Items for Procurement

S#	Item Description	Qty
Hardware		
1	Storage Area Network (SAN) for backup (48TB to 50TB)	
2	Workstations for GIS Cell at JACC	2
3	Server machine + Connections to SAN (SFPs) for GIS Lab	1
4	Mid-range Servers for Core Business Systems	2
5	Laptops (High end) for Data Scientist/GIS Specialist	2
6	Desktop Computers	50
7	Notebook/ Laptop Computers	50
8	Scanner	50
9	Heavy Duty Scanners	12
10	Colour Laser Printer (Heavy Duty)	1
11	Laser Jet Printers (B&W)	100
12	12 Storage Area Network (SAN) for backup (15TB - 20TB)	
Licensed So	ftware	
c. 13	MS Office 2019 (Business)	50
14	Antivirus security suite Latest Version	500
15	Adobe Photoshop CS6 or Latest	1
16	ESRI ArcGIS Suite for Desktop with Standard Extension	- 1
17	ERDAS Imagine Professional	1

LOT # 2: DIGITAL EQUIPMENT Digital Equipment		
19	Electronic Notice Board for "P" Block Reception, Auditorium and JACC with LED Screens	3
20	Interactive, Multi-touch Screen tables	3
21	Digital Flip Charts	3
22	Digital Signage Devices / Solution	1

Je Je

And the

	LOT # 3: NETWORKING	
Networ	king	
23	Upgradation of the Network of Ministry of PD&SI	1

LOT # 4: VIDEO CONFERENCING				
Networ	Networking			
24	Video Conference system (complete solution)	1		
25	Video Wall (complete solution)	1		
26	LED screens	2		

LOT # 5: MISC. ITEMS Plant & Machinery			
28	Reversible AC	5	
29	Fan Heaters	5	
Furnitu	ure & Fixture		
30	Furniture (Computer table/Chairs)	32	

Specifications of Items/ Equipment (with Installation, Configuration, Support Services, etc.)

LOT # 1: COMPUTER HARDWARE & SOFTWARE No Name of Item Specification		
170		Specification
1	Storage Area Network (SAN) for backup (48TB to 50TB) verifiable from Principal	Storage Array
		10Gb iSCSI BaseT 8 Port Dual 5U Controller
		28 X 1.8TB HDD 10K 512n SAS12 2.5
		Rack Rails 5U
		Power Supply, 2200W, Redundant
		2 X Jumper Cord - C19/C20, 2.5M, 250V, 16A
		3Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service-Emerging DBS
		Technical Support-Emerging DBS
		Dell EMC ME4084 or Equivalent
		TOR Switch: 28x10GbT 2x QSFP28, 960Gbps, 720Mpps

& Dder

Color fre

2	Waylestations for	Processor Land V. Cit. 4010-0-0011 (0.0011 T. J. 400-0-0011)
2	Workstations for GIS Cell at JACC	Processor: Intel Xeon Silver 4210 2.2GHz,(3.2GHz Turbo, 10C, 9.6GT/s 2UPI,
	verifiable from	13.75MBCache, HT (85W) DDR4-2400 1st) or higher
	Principal	RAM: 16GB 2x8GB DDR4 2666MHz RDIMM ECC Memory
		SSD: 2.5" 512GB SATA Class 20 Solid State Drive
		HDD: 3.5" 2TB 7200rpm SATA Hard Drive
		DVD: 8x DVD+/-RW 9.5mm Optical Disk Drive
		Graphic Card: Dual NVIDIA Quadro P400, 2GB, 3 mDP, 6 mDP to DP adapter
		7X20T
		Monitor: LED 18.5" or higher Mouse: Wired Mouse Black
		Keyboard: Wired Keyboard KB216 Black (English)
		OS(Licensed): Windows 10 Pro for Workstations (4 Cores Plus)
		Warranty: 3 Year Limited
		Casing: Original, Tower with 250W or more power supply
3	Server machine +	HP, Dell or Equivalent
3	Connections to	Processor: 2 X Intel Xeon Silver 4210 2.2G, 10C/20T, 9.6GT/s, 13.75M Cache, Turbo, HT(85W) DDR4-2400
	SAN (SFPs) for	Chassis with up to 16 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration
	GIS Lab	3200MT/s RDIMMs
	verifiable from	RAM: 2 X 16GB RDIMM, 3200MT/s, Dual Rank
	Principal	HDD: 4 X 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive
		PERC H730P RAID Controller, 2GB NV Cache, Adapter, Low Profile
		6 Standard Fans
		2 X Standard 1U Heatsink
		2 X Jumper Cord - C13/C14, 4M, 250V, 10A
		Broadcom 57412 Dual Port 10GbE SFP+ & 5720 Dual Port 1GbE BASE-TrNDC
		DVD: DVD+/-RW, SATA, Int
		Power Supply: Dual, Hot-plug, Redundant Power Supply (1+1), 750W
		Mouse: Wired Optical Mouse – Black
		Keyboard: Black Wired Multi-Media Keyboard English
		UEFI BIOS Boot Mode with GPT Partition with 18.5" or higher LED
		Warranty: 3 Year Limited
		SAN Switch: 16 port SAN Switch with SFPs Modules
		Connectivity with existing servers
		HP, Dell or Equivalent
4	Mid-range Servers	Processor: Intel Xeon E2650v4 2.6GHz7.2GT, 06Core or higher
	for Core Business	Cache: 2.5 MB per core
	Systems	Memory: 4x64 GB, RDIMMS 1866 MHz, Dual Rank or higher
	verifiable from Principal	Hard Disk: 6 x 900 GB 2.5-inch 15K RPM,6Gbps SAS Hot Plug Hard Drive
	Timerpar	
		Hard Disk RAID: RAID Controller with RAID 0,1,5,10 Support
		Optical Drive: DVD+/-RW
		Drive Bays: Up to sixteen (16) 2.5" drives, hot plug drive bays
		Communication: Embedded 4x1GbE Network Adapter
		Power: Dual, Hot-plug, Redundant Power Supply (1+1)
		Chassis: 2U 2.5" Rack Chassis
		Warranty: 3 Years Parts Exchange Service Warranty
		Operating System(licensed): Windows Server 2016 or latest

Charles the

		Brand: HP, Dell or Equivalent.
		Installation & Training: Installation at P Block, Pakistan Secretariat Islamabad. Training of 2-3 persons at P Block, Pakistan Secretariat Islamabad. Warranty: 3 Years
		SLA: Can be signed after one year support period.
5	Laptops (High end)	Processor: Intel Core 17-Latest Generation Processor (6 Core, 12MB Cache
	for Data	1.10GHz, 15W, vProCapable) or higher.
	Scientist/GIS Specialist	RAM: 16GB, 2666 MHz, DDR4 Non-ECC, Integrated
	verifiable from	SSD: M.2 512GB PCIe NVMe Class 35 Solid State Drive
	Principal	Screen Size: 14.0" FHD (1920 x 1080) AG, 2.7mm HD Cam/Mic, WLAN
		Graphic Card: Intel Integrated UHD Graphics, i7-10810U 6-Core Processor, 160 Memory
		Touch Fingerprint Reader in Power Button, Thunderbolt 3, Carbon Fiber
		Door Bottom, Carbon Fiber, WLAN, no i5 10210U, 4G, FHD
		Intel Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1
		Keyboard: Single Point Keyboard US-English without backlight
		Mouse: Wireless Mouse - Black
		OS(Licensed): Windows 10 Pro (64bit) English
		Battery: 3 Cell 39WHr Express Charge Capable Battery
		With carrying bag
		Warranty: 3 Year Limited
		HP, Dell or Equivalent
6	Desktop	Processor: Intel Core i5, 6-core (3.0GHz or above) with at least 9MB Level 2 Cache
	Computers	memory or higher (9th generation or higher)
	verifiable from	Chipset: Intel Original Q370 chipset
	Principal	RAM: DDR 8GB or higher capacity
		Optical Drive: DVD Writer (Super Drive) 8x DVD+/-RW
		VGA: Intel HD Graphics 630 or equivalent
		Sound: Built-in sound card and speaker
		Hard Disk: 1TB 7200 rpm 3.5" SATA
		LAN Card: 100/1000 Ethernet NIC (Integrated) + Built-in Wi-Fi (Latest)
		Monitor: LED 18.5" or higher
		Keyboard/Mouse: Standard OEM Multimedia/Brand specific,
		Software: Licensed (Windows 10 Professional). verifiable from Principal
		Warranty: 3 Year Limited
		Casing: Original, Tower with 250W or more power supply
		HP, Dell or Equivalent
7	Notebook/ Laptop	Processor: Intel Core i7- (10th generation), 8MB Cache or higher
	Computers (verifiable from	Chipset: Intel Original chipset
		RAM: DDR4 type memory 8GB (2400MHz) or higher
	Principal)	Hard Disk: 512 GB SSD
		VGA /Sound: Integrated UHD 630 or higher (Intel HD chipset)
		Sound: Two speakers
		Communication: 802.11ac (dual band) 2*2, RJ-45 LAN port
		Screen Size: 15.6" (FHD with antiglare coating), Brightness of 220cd/m ² or more
		(300 cd/m² will be preferred), Non-Touch screen models only

8 - Oh

Glad ful

		External Ports Multi Format Digital Madia Cond Day 1, C. C. D. 1, C. C.
		External Ports: Multi-Format Digital Media Card Reader for Secure Digital cards,
		Super Speed USB 3.0 type A/3.1 type C, 1 HDMI
		1 Headphone-out/microphone-in combo jack, HD Webcam
		OS Version: Licensed Windows 10 Professional, verifiable from Principal
		Carrying Case: OEM recommended (briefcase style)
		Warranty: 3 Years local
		HP, Dell or Equivalent
8	Standard Scanner (Scan Technology: CMOS CIS (Contact Image Sensor)
	verifiable from	Scan Type: Sheet Fed Scanner; Colour Scanning: Yes
	Principal)	Scan Speed 30 ppm/60 ipm (black & white, grey and colour, 200 dpi) or higher
		Scan Resolution Hardware: Up to 600 x 600 dpi (colour and monochrome);
		Optical: Up to 600 dpi (colour and monochrome);
		Scan File Format For text and images: PDF, JPEG, PNG, BMP, TIFF, TXT(Text),
		RTF (Rich Text) and searchable PDF
		Scan Input Modes Scan front-panel function: Save as PDF, Save as JPEG, Email a
		PDF.
		Output resolution dpi settings 150, 200, 240, 300, 400, 500, 600
		Grayscale Levels/Bit Depth 256; Bit Depth: 24-bit
		Duty Cycle (daily) Up to 3,500 pages
		Auto Document Feeder Capacity Standard, 60 sheets or above
		Duplex Scanning: Yes Media Siran Local Adv AS: AG DS: Media Weight 27 to 200 years
		Media Size: Legal, A4; A5; A6; B5; Media Weight: 27 to 209 g/m ²
		External I/O ports: Hi-Speed USB 2.0
		Software: Bundled Software Windows ISIS Twain Driver, (Windows 7 SPI/
		8.1/10. Windows Server 2008/2012/2016, Mac ISIS Twain Driver compatible with
		Mac OS 10.10, 10.11, 10.12
		Country of Origin: UK, USA, or Japan
		Warranty: One year local
9	Heavy Duty	Scan Technology: CMOS CIS (Contact Image Sensor)
	Scanner	Scan Type: ADF Scanner with Legal Size Flatbed; Colour Scanning: Yes
	(verifiable from	Scan Speed: 40 ppm/80 ipm or higher
	Principal)	Scan Resolution Hardware: Up to 600 x 600 dpi (colour and monochrome, ADF)
		Optical: Up to 600 x 600 dpi (colour and monochrome, ADF)
		Scan File Format: PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf) and
		searchable PDF
		Output resolution: 150, 200, 240, 300, 400, 600 dpi
		Grayscale Levels/Bit Depth 256; Bit Depth: 24-bit
		Duty Cycle (daily) 6,000 pages,
		Multi Feed Detection Yes
		Auto Document Feeder Capacity Standard, 50 sheets
		Duplex ADF Scanning Yes Media Signa A2 Support via Falia Media A4, A5, A6, D5, Media Weight, 27 to
		Media Size: A3 Support via Folio Mode, A4; A5; A6; B5; Media Weight: 27 to
		209 g/m²
		External I/O ports Hi-Speed USB 2.0
		Scanner Advanced Features Blank page removal; Auto orientation; Auto colour
		detect; Auto page size detection; Auto resolution setting, background smoothing,
		character emphasis deskew, double feed release, edge emphasis, folio mode, long document mode, multi stream, pre-scan prevents bleed-through/remove background

Page 38 | 67

		shadow cropping, skip blank page, Digital Sending Standard Features Scan to email; Scan to PC; Scan to Network Media Types Supported Paper (banner, inkjet, photo, plain), envelopes, labels, cards Software: Adobe Acrobat Professional latest version with Media Compatible Operating Systems Windows 10 or higher; Country of Origin: UK, USA, or Japan Warranty: One year local
10	Color Laser Printer (Heavy Duty) verifiable from Principal	Control panel: Touch screen with colour graphics. Print: Print technology Laser Print speed: Black& Color (A4, normal) Up to 38 ppm; Black& Color (A4, duplex): Up to 38 ipm; Print resolution: Black (best): Up to 1200 x 1200 dpi, Monthly duty cycle Up to 80,000 pages A4; monthly page volume: 2,000 to 7,500
		pages Print area: Print margins Top: 2 mm absolute/5 mm assured image, Bottom: 2 mm absolute/5 mm assured image, Left: 2 mm absolute/5 mm assured image, Right: 2 mm absolute/5 mm assured image; Maximum print area: Duplex printing: Automatic (standard). Processor speed: 1.2 GHz or higher, Memory: 1 GB or higher Connectivity: Standard Hi-Speed USB 2.0 port; Built-in Fast Ethernet
		10/100/1000Base-TX network port Supported network protocols:IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall;IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint Network capabilities: Standard (built-in Gigabit Ethernet). Hard disk 4 GB non-
		volatile storage, firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data, Secure Erase – Disk. Memory Standard: 1 GB. Media handling: Standard: 3; Max.: 5 Media handling: Standard input: 100-sheet multipurpose tray, 550-sheet input tray 2, 550-sheet media input tray 3
		Optional input: 550-sheet media input tray 4, 550- sheet media input tray 5 Media weight: Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper) Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper). Print Drivers: MS Windows 10, MS Windows 8, Windows Server 2003, Windows Server 2008 (32-bit & 64-bit), Warranty: One year local
11	Laser Printers (B&W) verifiable from Principal	Print Technology: Laser Speed: Black (normal, A4): Upto 40 ppm Resolution Black (best): 1200 x 1200 dpi (equivalent) 2400 (equivalent) x 600dpi Built-in Duplex printing Duty cycle (monthly, A4) Upto 79,000 pages or higher Media: Standard: sizes A4; A5; A6; envelopes (C5, DL); custom
		Recommended Weights 65 to 120 g/m ² Types: Plain paper, envelope, postcard, Label Paper handling Input (standard): 150-sheet input tray; Output (standard): 100-sheet

& De

age 39167

		output bin Processor speed: 800 MHz or higher		
		Operating system compatibility: Windows 10, 8.1, 8, 7: 32-bit or 64-bit Connectivity: 1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio HP or equivalent		
		Toners/consumables availability at reasonable prices will be considered while technical evaluation.		
12	Storage Area	Warranty: One year local Storage Array		
	Network (SAN) for backup (15TB - 20TB) verifiable from Principal	ME4 2U Bezel 10Gb iSCSI BaseT 8 Port Dual Controller 15 X Hard Drive Filler 2.5in, Single Blank 9 X 2.4TB 10K RPM SAS 12Gbps 512e 2.5in Hot-plug Hard Drive Rack Rails 2U		
		Power Supply, 580W, Redundant, Flex		
		2 X Jumper Cord - C13/C14, 4M, 250V, 10A		
		3Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service-Emerging DBS Technical Support-Emerging DBS Dell EMC ME4024 or Equivalent		
12	MC OCC - 2010	TOR Switch: 28x10GbT 2x QSFP28, 960Gbps, 720Mpps		
13	MS Office 2019 (Business) verifiable from Principal	Microsoft Office (Business) 2019 (with latest update) inclusive of all tools such as WORD, EXCEL, POWERPOINT, ACCESS, OUTLOOK software, etc.		
14	Antivirus security suite verifiable from Principal	Kaspersky Endpoint Security Business (Advanced) latest version with 3 years subscription Services: Installation and configuration of Kaspersky security center/ Administration server		
15	Adobe Photoshop CS6	Adobe professional 2016/2017 suite or latest version (LICENSED verifiable from Principal)		
16	ESRI ArcGIS Suite for Desktop with Standard Extension	License: Proprietary commercial software Stable Release: 10.8 / February 20, 2020 or latest verifiable from Principal		
17	ERDAS Imagine	Image analysis, remote sensing, and GIS.		
	Professional	Support for optical panchromatic, multispectral and hyperspectral imagery, radar,		
	verifiable from	and LiDAR data.		
	Principal	User-friendly ribbon.		
		Multi-core and distributed processing.		
		Spatial modeling with raster, vector and point cloud operators, as well as real-time		
		results preview. Professional version latest		
		LOT # 2: DIGITAL EQUIPMENT		
18	Interactive LED	55" IWB 6 points touch MB (Multiboard)		
	Screens	Integrated Intel Based PC (Core i5/4GB RAM/500GB Hard disk drive) Features: TV Tuner/Main Control unit/Remote Control/Full HD MultiTouch Screen/Wall Mount		
		Kit/Set of Applications: EasiNote (Education/ Meetings), Easy Meeting (Conference/		

Page 40 | 67

		Meetings), EasiSign (Signature Softw	ware), EasiShow (Presentations), Wifi PC	
		Control (Wireless keyboard/Mouse, Pre	esentations/File with Pad	
		Samsung or Equivalent		
19	Electronic Notice	Wall mounted Electronic Notice Board, Minimum size 55"; Resolution		
	Board for P Block		3; Brightness: min 450cd/m; Bezel width: 9.5	
	Reception,	(T/L/R) 15.6 (B), Contrast Ratio: 1100:		
	Auditorium and	16.7M; Media Player; CPU: Quad Core Cortex A9 1.8 GHz; GPU:ARM Mali400 Quad Core 533MHz; Memory: 2GB DDR3; Storage: 16GB EMMC; Sound		
	JACC with LED			
	Screens	Speaker; Software for Content & Contro		
	Servens	Samsung or Equivalent		
20	Interactive Multi-		lay with option for Full HD resolution or 4K	
	Touch Tables	UHD resolution; support for multi-touch points, supports MS Windows, Android &		
		iOS operating systems, Built-in Wi-Fi a		
21	Digital Flip Charts		ess (with glass) min. 220nits, Resolution	
	Digital Lap Came to	The same state of the same sta	degrees, Panel Technology: E-LED 60 Hz	
			0 x 2, side 1, Assy 1); Internal Sensor NFC	
			Output: Touch Out, USB, External Controls	
			ssive; Power Supply, AC 100-240V; Built-in	
		1.0	re for Flip, Built-in Document Viewer for MS	
			Out Cable, Moving Stand, Protection Glass;	
		Samsung or Equivalent.	out current ing summ, i retection sums,	
22	Digital Signage		080n Pixel Pitch(mm): 0.744X0.744	
22	Devices/ Solution	Display size: 65", Resolution: 1920X1080p, Pixel Pitch(mm): 0.744X0.744, Brightness: 450 cd/m, Bezel width: 9.5 (T/L/R) 15.6 (B), Contrast Ratio: 1100:1,		
	Devices/ Solution	Aspect Ratio: 16:9, Display Colors: 16.7M		
		Media Player; CPU: Quad Core Cortex A9 1.8 GHz; GPU: ARM Mali400 Quad Core 533MHz; Memory: 2GB DDR3; Storage: 16GB EMMC; Sound Speaker;		
		Digital Signage Software CMP; Mount Bracket and Installation		
		LOT # 3: NETWORK	KING	
23	Upgradation of the	LOT # 3: NETWORK PASSIVE COMPONENTS/ W		
23	Network of	PASSIVE COMPONENTS/ W	ORKS	
23		PASSIVE COMPONENTS/ W Network Nodes: 50 with complete	ORKS te installation.	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complet Cat-6 Cable:	ORKS te installation. Qty = 10 Rolls	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-sh	te installation. Qty = 10 Rolls apped separator) offer the possibility to deploy	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complet Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems)	te installation. Qty = 10 Rolls apped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks.	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complet Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems) Conductor Diameter: AWG 24 (Ø 0	te installation. Qty = 10 Rolls apped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks.	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm)	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/-	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.0	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/-	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.0000 cable assemblies: 4 pairs	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/-	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.000 Cable assemblies: 4 pairs Sheath material: PVC	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/-	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.000 Cable assemblies: 4 pairs Sheath material: PVC Mechanical Features:	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/-	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.000 Cable assemblies: 4 pairs Sheath material: PVC Mechanical Features: Maximum cable diameter (mm) 5.40 +0000	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/- 0.5 mm	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.0 Cable assemblies: 4 pairs Sheath material: PVC Mechanical Features: Maximum cable diameter (mm) 5.40 + Dynamic (installation) / Static (installation)	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/- 05 mm +/- 0.30 or higher Bending Radius (mm) ed) ≥ 8x outer diameter / ≥ 4x outer diameter	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.0 Cable assemblies: 4 pairs Sheath material: PVC Mechanical Features: Maximum cable diameter (mm) 5.40 + Dynamic (installation) / Static (installation)	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/- 0.5 mm	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.0 Cable assemblies: 4 pairs Sheath material: PVC Mechanical Features: Maximum cable diameter (mm) 5.40 + Dynamic (installation) / Static (Installation)	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/- 05 mm +/- 0.30 or higher Bending Radius (mm) ed) ≥ 8x outer diameter / ≥ 4x outer diameter	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Cat-6 Cable: Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.000 Cable assemblies: 4 pairs Sheath material: PVC Mechanical Features: Maximum cable diameter (mm) 5.40 + Dynamic (installation) / Static (installation) C +50°C	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (Ø 0.57 +/- 05 mm +/- 0.30 or higher Bending Radius (mm) ed) ≥ 8x outer diameter / ≥ 4x outer diameter	
23	Network of	PASSIVE COMPONENTS/ W Network Nodes: 50 with complete Category 6 U/UTP Cable (with cross-shunshielded Category 6/Class E systems). Conductor Diameter: AWG 24 (Ø 0 0.010mm) Insulation Diameter: PE Ø 0.95 +/- 0.000 Cable assemblies: 4 pairs Sheath material: PVC Mechanical Features: Maximum cable diameter (mm) 5.40 + Dynamic (installation) / Static (installation) / Static (installation) C +50°C Electrical Features at 20°C:	te installation. Qty = 10 Rolls naped separator) offer the possibility to deploy when installed with Cat-6 RJ45 Jacks. .525 +/- 0.015mm) or AWG 23 (\emptyset 0.57 +/- 05 mm +/- 0.30 or higher Bending Radius (mm) ed) $\geq 8x$ outer diameter $\geq 4x$ outer diameter lation, Transport and Storage -20°C +60°C /	

Page 41 | 67

Mutual capacitance

Test Voltage (DC, 1 min)

Capacitance Unbalance (pair to ground)

VPN (nominal)

nom. 5.1 nf / 100 m at 1 kHz

1 kV / 1m

max. 160 pf / 100 m at 1 kHz

67%

Cat-6 UTP Jack (I/O):

Qty = 100 Nos

Category 6/Class E system, fully compliant with Category 6 ISO/IEC, EN and TIA standards for hardware performance, confirmed by independent laboratory certifications (Delta, GHMT).

The jacks have the following features:

- · Category 6 UTP
- Keystone fixing;
- Tool less assembly (mandatory)
- · Capable of being wired to both 568B and 568A, three cable entry points
- · Integral shutter/shuttered jack
- Jacks must be reusable i.e. it must support multiple termination.

Technical characteristics

Conforms to Category 6 hardware performance parameters of ISO/IEC 11801, EN 50173 and TIA 568

Conductor diameter:

solid wires: 0.50 to 0.65 mm

stranded wires: 7 x 0.15 to 0.20 mm

Maximum diameter of wire insulation: 1.6 mm

Lead through resistance: $< 200 \text{ m}\Omega$ Insulation resistance: $> 500 \text{ M}\Omega$

Protection contacts: 1.27 µm (50 µinches) Voltage Rating: 75 VDC (maximum)

Wall Outlet/Face Plate: Qty = 50 Nos

86 x 86 faceplate range can be loaded with Cat-6 UTP I/O to provide the following configurations:

- · Single gang, 1 port
- · Single gang, 2 ports

Specifications

Faceplates – size (h x w x d)

Material Colour

Single gang – 86 x 86 x 10mm

V0 - ABSBright white

Patch Panel:

Qty = 12

1U 19" panels must be available to take a minimum of 24 copper fully shuttered jacks. Other connection densities must be available:

The panels must be designed for keystone fitting of the fully shuttered jacks/sockets. For efficiency of the termination and performance tool less terminate able keystone jacks must be used.

The copper panel panels must have cable management and tie down points (where required) for copper cable. Panels must have the facility to label each fully shuttered socket/jack.

Cable Manager / Cable Organizer: As per requirement

1U 19" Cable Manager Should be capable of managing patch cords on any 19" Rack.

It must be made of plastic and must have pass through holes that incorporate integral bend radius control as well as fingers with rounded edges.

Patch Cords / Drop Cords: Qty =100 Nos (at least 1 mtr. length)

Patch cables must be available in either LSOH or PVC jackets.100 Ohm RJ-45 copper patch cords shall be Category 6. The EMC level should also match – for UTP cables UTP patch cords should be use, for shielded systems shielded patch cords should be used.

The copper patch cords must be made from stranded wires for full flexibility. They must comply with ISO 11801. The patch cords must be available in a range of lengths to facility easy patch cord management. The copper patch cords should never be hand punched; they should be of factory fitted RJ-45 connectors.

The patch cords must be available in a range of lengths to facility easy patch cord management.

System Tests:

All permanent links shall be tested. Acceptance is in accordance with standard ISO11801:

The horizontal copper cabling system must be tested in accordance with the procedure described below. Tests shall be performed using a level II field tester as defined in ISO/IEC 11801 – an automatic tester or scanner. The following parameters of the link shall be verified:

Headroom report (The worst-case margin for a parameter determined by the selected standard (this may be NEXT, ACR, PSNEXT, or another measurement.)

- · Wire map
- · Resistance
- · Link length
- · Insertion loss
- · Return loss
- Near end crosstalk (NEXT)
- · Power sum near end crosstalk (PSNEXT)
- Equal level far end crosstalk (ELFEXT)
- Power sum equal level far end crosstalk (PSELFEXT)
- · Attenuation to crosstalk ratio (ACR)
- Power sum attenuation to crosstalk ratio (PS ACR)
- · Delay Skew
- Impedance
- DC loop resistance

The following shall also be confirmed

- Continuity
- · The link length does not exceed the authorized maximum value,
- · Radius of curvature of the cables conforms to values in the design guide
- Cable preparation and the assembly of the jacks is to the manufacturer's instructions
- · Cable ties and confinement are tight enough without squeezing the cable
- · The insulation of the copper wires is continuous
- The earthing and bonding of all metallic pathway systems is undertaken according to the installation specification.
- · The metal racking, distribution panels and patch panels are bonded at both ends

& DEV

Hat ful

· The metal continuity of the farms of the same distributor is carried out. All cables and cords, distribution frames and outlet locations must be labeled according to industry standards. Labels should be computer generated or typewritten.

Duct/Ducting:

Multiple sizes duct for cabling as per requirement.

OFC Equipment with installation (Splicing / Testing)

- ODF: Otv = 02 NosRack mounted loaded 24 port
- Qty = 30 Nos1.2 5G 20 Km. Single Mode Dual Fiber
- SC/LC Qty = 30 Nos3 Mtrs Patch cord Single Mode

Network Switch 48 port layer 3 manageable switch (Juniper): Qty = 02 Nos (verifiable from Principal)

- 48-port 10/100/1000BASE-T
- 4 x 1/10GbE SFP/SFP+ can be individually configured as Gbe or 10 Gbe ports, 2 x QSFP+ 40GbE uplinks
- Redundant field replaceable power supplies, Redundant fans
- Stackable up to 10 switches
- DRAM: 2GB, Flash: 2GB, CPU: 1GHz
- Port redundancy.
- Switching capacity: 336 Gbps
- MAC addresses: 32K
- Jumbo frames: 9216 bytes
- IPv4 unicast routes: 36K
- IPv4 multicast routes: 4K
- Number of VLANs: 4096
- ARP entries: 16K
- L2 and L3 Quality of Service (QoS)
- Port based VLAN and MAC based VLAN
- VLAN tagging, VLAN stacking
- Layer 2 protocol tunneling (L2PT)
- MACsec, MVRP, LLDP, LACP
- STP, MSTP, RSTP
- Routing protocols: RIP v1/v2, OSPF v1/v2, BGP, IS-IS
- BFD for RIP, OSPF, PIM,
- Layer 3 redundancy, VRRP
- Filter- based forwarding and unicast reverse-path forwarding
- MAC limiting, DHCP snooping, Proxy ARP, Static ARP
- Control plane DoS/DDoS protection
- Link aggregation, LACP support
- Number of LAGs: 128
- Number of ports per LAG: 16
- Non-stop routing, Non-stop software upgrade

Olado I.

- IGMP v1/v2/v3, IGMP snooping, IGMP filter
- VRF-Lite support for PIM and IBMP
- ASCII configuration, Rescue configuration, configuration rollback
- · Wired assurance, Web interface
- · Real time performance monitoring, Remote monitoring
- SNMP v1/v2/v3, NTP, SNTP
- · Traffic mirroring, Filter based mirroring, LAG port mirroring
- Operating temperature: 32° to 113° F (0° to 45° C)
- · 3 year limited warranty

24 port layer 3 manageable switch (Juniper) Qty = 12 Nos (verifiable from Principal)

- 24-port 10/100/1000BASE-T
- 4 x 1/10GbE SFP/SFP+ can be individually configured as Gbe or 10 Gbe ports, 2 x QSFP+ 40GbE uplinks
- Redundant field replaceable power supplies, Redundant fans
- Stackable up to 10 switches
- DRAM: 2GB, Flash: 2GB, CPU: 1GHz
- Port redundancy.
- Switching capacity: 288 Gbps
- MAC addresses: 32K
- Jumbo frames: 9216 bytes
- IPv4 unicast routes: 36K
- IPv4 multicast routes: 4K
- Number of VLANs: 4096
- ARP entries: 16K
- L2 and L3 Quality of Service (QoS)
- Port based VLAN and MAC based VLAN
- VLAN tagging, VLAN stacking
- Layer 2 protocol tunneling (L2PT)
- MAC sec, MVRP, LLDP, LACP
- STP, MSTP, RSTP
- Routing protocols: RIP v1/v2, OSPF v1/v2
- BFD for RIP, OSPF, PIM,
- Layer 3 redundancy, VRRP
- Filter- based forwarding and unicast reverse-path forwarding
- MAC limiting, DHCP snooping, Proxy ARP, Static ARP
- Control plane DoS/DDoS protection
- Link aggregation, LACP support
- Number of LAGs: 128
- Number of ports per LAG: 16
- · Non-stop routing, Non-stop software upgrade
- IGMP v1/v2/v3, IGMP snooping, IGMP filter
- VRF-Lite support for PIM and IBMP
- ASCII configuration, Rescue configuration, configuration rollback
- Wired assurance, Web interface
- Real time performance monitoring, Remote monitoring

& Joly

dot the

		 SNMP v1/v2/v3, NTP, SNTP Traffic mirroring, Filter based mirroring, LAG port mirroring Operating temperature: 32° to 113° F (0° to 45° C) 3 year limited warranty Note: Proposed equipment compatibility with existing networking equipment / NMS should be ensured. Warranty: 3 Year Limited LOT # 4: VIDEO CONFERENCING SYSTEM 			
24	Video Conference System (Complete		HARDWARE/SOFTWARE BASED)- Qty 1		
	Solution having following or higher specifications) (verifiable from Principal)	Capacity	 Appliance based or chassis based MCU Must support at least 1 concurrent meetings having 40port Full HD participants or above in each meeting on 1080P30/60 without any port license Offer bandwidth optimization for meetings in different locations Must comply with ITU-T H.323, IETF SIP 		
		Video	Support following resolution and frame rate		
		Audio	Support following Audio standards AAC-LD Speex Opus G.722, G.722.1, G.722.1c, G.729a, G.711a/u		
		Presentation	Must support 1080p30fps dual stream		
		Continuous Presence	 Must support symmetric 1080p30 continuous presence, ensuring that 1080p30 continuous presence can be sent and received between endpoints and MCUs without affecting port capabilities. Must support/present continuous presence for each participant and the number of panes can be automatically changed according to the number of participants increased. 		
		Conference Reliability	 Secure Real-Time Transport Protocol (SRTP) H.235, AES Transport Layer Security (TLS) Simple Network Management Protocol (SNMP) Must support web management portal, which provide configuration, log, and alarm and upgrade function. 		
		Interoperability	 Video processing capability to encode and 1080p30 video Address lookup and resolution, and translation between E.164 and IP addresses Support both IPv4 and IPv6. 		

Licenses	Include all hardware, software licenses for 30 remote connections at a time
	In addition, Two Licenses of ZOOM (Pro Version) with
	H.323/SIP Connector application for 100 simultaneous
	participants with three years subscription.
Installation &	Installation at P Block, Pakistan Secretariat Islamabad. Training
	of 2-3 persons at P Block, Pakistan Secretariat Islamabad.
Training	or 2 5 persons at 1 Brook, 1 akiskan secretariat Islamaodo.
Warranty	One Year
SLA	Can be signed after one warranty and support period.
Video Confere	ncing System for Main Auditorium/ 3rd Floor + Backup: Qty 2
Network rate	Must support bandwidth range from 64 Kbit/s to 6 Mbit/s or higher
Network	• 3x Ethernet (RJ-45) 10/100/1000 for LAN1080p at 60 fps
Interfaces	for main video
	Support following Video standards
	• Wi-Fi 802.11a/b/g/n/ac 2.4 GHz/5 GHz for LAN. 2x2
	MIMO
	Bluetooth 4.0 LE
Video	H.264, H.265 or higher
	Support 3840 x 2160p60 (4Kp60)
	1080p 25/30fps, 720p 50/60fps, 720p for video resolution
Audio	Support G.711A, G.729A, G.722, AACLD and OPUS audi
_	protocol.
Presentation	Support wired and wireless H.239 (H.323) dual stream
	Support resolutions up to 3840 x 2160p5 (4Kp5) and
	1080p30
	Supports dual content sources for local meetings
	Provide 1 video input and two video output interface
D4-	support formats up to 3840 x 2160p60 (4Kp60)
Ports	Video Inputs: One HDMI input supports formats up to The HDMI input supports formats up to
	maximum 1080p60, Two HDMI inputs support formats up
	to maximum 4K (3840 x 2160) at 30 fps including HD1080p60
	• Video Outputs: Two HDMI outputs support formats up to 3840 x 2160p60 (4Kp60)
	Input interface should support HDMI
	Audio input: Three microphones, 4-pin mini-jack, Two
	HDMI audio input
	Speakers (integrated) High-quality speakers: five speakers
	in balanced configuration
	Audio output:
	1 line out mini-jack
	o 1 RCA output for subwoofer
	o 2 HDMI outputs
Camera	5x Digital zoom or better
	Built-in Quad camera, which should support 5K Ultra HD
	resolution 60fps resolution or better
	Support Speaker Tracking feature with Metrics: Counts
	people in the room, enabling analytics for better resource
	planning
	Be able to encode and decode 1080p30fps video
Bandwidth for	Must support encryption for H.235, SIP,H.323

& Doler

dolpton-

		resolution / frame rate		
		Security / Secure Access	Web/telnet	
	Accessories		Include all accessories/cables required for the system to b 100% functional	
		Installation & Training	 Installation at P Block, Pakistan Secretariat Islamabad Training of 2-3 persons at P Block, Pakistan Secretaria Islamabad. 	
		Warranty	One Year	
		SLA	Can be signed after one warranty and support period.	
25	Video Wall (4 X 4) Matrix (Complete Solution of Samsung or equivalent) verifiable from Principal	Video Wall Screens	Video Wall Screen Diagonal Size: 55" Type: D-LED DID technology for extensive usage, Anti Image Retention circuitry, black Bezel to Bezel Width mm: 1.7 mm Brightness: 500 cd/m2 Resolution: Full HD 1920 x 1080 Contrast Ratio: 4,000:1 Input: Display Port, HDMI 1, HDMI 2, DVI-D, D-SUB, Component, Audio In Output: Display Port (Loop Out), Audio Out USB Support: Yes, Firmware External sensor: Detachable Type (IR, Ambient) External Control: RS232 in/out, Ethernet(RJ45) Advanced Color Management Chipset	
		Controller	 Type: 19" 4U Rack Mounted Intel® Core Processor Ram: 16GB RAM Hard Disk: 2 x 240 GB SSD Raid 1 PCI express Gen. 3 Slots Ethernet: Dual Gigabit Ethernet Ports Redundant Power Supply Units, Hot Swappable Expandable for Future Upgrade Total No. of Outputs: 16 X DP/HDMI/DVI (4 x Display Port Output Card) Total No. of Inputs: 12 X DVI/HDMI/RGB (3 X -IN4 Capture cards) Instant Backup & Recovery USB with Factory Reset on USB-Stick to restore the controller in minutes to the factory reset or to a self-generated image Working Hours: 24x7x365 Operating System - Microsoft Windows 7 Ultimate 64bit or Windows 10or higher Power Cables, Keyboard, Mouse 	
		Accessories	All accessories, cables required for the above Configuration	
		Installation & Training	 Installation at P Block, Pakistan Secretariat Islamabad Training of 2-3 persons at P Block, Pakistan Secretaria Islamabad. 	
		Warranty	One Year	

		SLA	Can be signed after one warranty and support period.		
26	LED Screens (verifiable from	LED Screens	42" or above SAMSUNG/LG/SONY or equivalent		
	Principal)	Accessories	All accessories, cables required for the installation		
		Installation & Training	 Installation at P Block, Pakistan Secretariat Islamabad. Training of 2-3 persons at P Block, Pakistan Secretariat 		
		337	Islamabad. • One Year		
1000		Warranty			
			# 5: MISC. ITEMS		
27	Paper Shredder		neets, may handle staples and CDs		
		Sheet capacity: 1			
		Shred size: Cross	-cut 4 x 38mm		
		Paper throat width: 260mm			
		Shredder bin volume: 25L or more			
		Motor power: 250W			
28	Reversible AC	Cooling Capacity	r: 1.5 ton (1800 BTU)		
		Cooling Type: Heat & Cool			
		Technology: Invertor AC			
		Type: Split Type, Wall Mountable			
		Eco Friendly Ref	rigerant		
		Power Factor Correction 99%			
		Ultra Low Noise Control			
		Auto Voltage Adaptation (150-260 V)			
		Warranty: Standard Local Warranty			
29	Fan Heaters	Fan Heater 2000 Watts			
		- Thermostatic Control For Ease of Use			
		- Heat Setting To Suite Different Temperature Requirements			
		- Fan			
		- Low Noise Level			
		- Auto Cut Off System			
		- Safety Tip-Over Switch			
		Warranty: Standard Local Warranty			
30	Furniture		and Chair (durable & high quality)		
	(Computer				
	Table/Chairs)	Table: made of durable material such as Sheesham veneer (life time warranty for termite rusts etc), etc.			
		The second secon			
		Table: Size 20" x 42" (slight changes in size can be made), space for CPU, keyboard,			
		mouse tray, cable holes.			
		Chair: Revolving, heavy duty steel structure 5-prong. Base, adjustable height, seating			
		of quality fabric.	With arms and comfortable back		

- Including installation, configuration and on-premises training.
- SLA for 3 years may also be signed with contract agreement (where applicable/ required).
- <u>Compliance Sheet</u>: Compliance to all the specification is mandatory. Compliance sheet must be provided by the bidder as per above list.

8 2 Le

dola fal

Annex. A

Supply Schedule:

a. For supply of Goods:

Mode of Penalty	100% Quantity as per Purchase Order	Total Delivery Period	
Without penalty	08 Weeks (Maximum)	08 Weeks (Maximum)	

Note: The total delivery period includes delivery to the Purchaser's end destination. Installation, commissioning, test-run, relevant staff training, and initial maintenance are NOT included in the delivery period.

b. Liquidated Damages / Penalty

- i) Wherein the Supplier entirely fails to complete deliveries as per purchase order and within the stipulated time frame specified in the Schedule of Requirements/ Contract, the Contract to the extent of non-delivered portion of supplies shall stand cancelled.
- ii) After the cancellation of the Contract no supplies shall be accepted and the amount of Performance Guarantee/ Security to the extent of non-delivered portion of supplies shall be forfeited.
- iii) If the Supplier fails to supply the whole consignment and not able to deliver to the destination, the entire amount of Performance Guarantee/ Security shall be forfeited to the Purchaser account and the firm shall be blacklisted minimum for two years for future participation.
- iv) The exact time frame for making supplies with and without penalty shall be indicated in subsequent purchase orders or extension in time allowed by the Purchaser for performance of obligations under the Contract.
- v) Extension in the delivery period (if any) will be considered by the Purchaser on case-to-case basis and strictly in accordance with PPRA Rules.

vi) Extensions in time for performance of obligations under the Contract

If the Supplier encounters conditions impeding timely performance of any of the obligations, under the Contract, at any time, the Supplier shall, by written notice served on the Purchaser, promptly indicate the facts of the delay, its likely duration and its cause(s). As soon as practicable after receipt of such notice, the Purchaser shall evaluate the situation and may, at its exclusive discretion, without prejudice to any other remedy it may have, by written order served on the Supplier, extend the Supplier's time for performance of its obligations under the Contract.

c. Incidental Services

The bidders are required to either incorporate or quote separately the costs of following

Page 50 | 67

incidental services being part of the contract, if applicable.

- Transportation: Equipment and supplies will be delivered up to the place of installation / final destination by the bidder at his cost and mode of transportation including loading / unloading.
- ii) <u>Insurance</u>: All insurance charges will be borne by the supplier. The Contractor shall provide such insurance of the Goods as is sufficient to protect against their damage or deterioration during storage / transit to their final destination as indicated in the Contract. The Contractor shall arrange and pay for the insurance of the Goods to the place of destination as specified in the Contract, and the cost thereof shall be included in the Contract Price.
- <u>Custom Clearance</u>: Equipment and supplies will be cleared (from airport/seaport) customs department by the supplier and charges/duty/taxes if any will be paid by the supplier.
- iv) <u>Installation</u>: Supplier will install the equipment at the designated place of work, free of charge, give test-run and if required, will impart on job training.
- v) <u>Labeling:</u> The Goods supplied under the Contract, shall be clearly labeled so as to correspond with the delivered documentation, with proper labeling scheme provided by the Client. All networking equipment, cables, connectors, ports, boxes shall be clearly labeled.
- vi) <u>Test-Run/ Commissioning</u>: Equipment will be subjected to test-run after commissioning.
 - a) The Purchaser shall inspect and test the Goods supplied, the Services provided or the Works carried out, under the Contract, to verify their conformity to the Technical Specifications.
 - b) The inspections and tests shall be conducted at the premises of the Purchaser.
 - c) The Purchaser may reject the Goods, the Services or the Works if they fail to conform to the Technical Specifications, in any test(s) or inspection(s) and the Contractor shall either replace the rejected Goods, Services or Works or make all alterations necessary to meet the Technical Specifications, within time specified by the Purchaser and free of cost to the Purchaser.
 - d) The Purchaser's post-delivery right to inspect, test and, where necessary, reject the Goods shall in no way be limited or waived by reason of pre-delivery inspection, testing or passing of the Goods.
 - Nothing contained in any clauses of this document, in any way, release the Contractor from any Warranty or other obligations under the Contract.
- vii) Staff Training: Where required, on job training to be provided to working staff on the equipment to be supplied / installed.
- viii) <u>Initial Maintenance</u>: Supplier will be responsible for initial maintenance of the equipment (repair and parts), for one complete year starting from the date of installation/test-run.
- ix) Availability of Spare Parts and Consumables: Supplier will guarantee through

8 Page 51 | 67

dod ful-

reliable means, acceptable to Purchaser, prompt and easy availability of spare parts & consumables for the period of three years (apart from initial one year as in clause viii above), on reasonable rates.

- a) The Contractor shall ensure that the Goods/ Parts provided by the Contractor, under the Contract are standard and of exact specifications and incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- b) The Contractor shall further ensure that the Goods/ Parts provided by the Contractor, under the Contract shall have no defect, arising from design, materials, installation, configuration, or from any act or omission of the Contractor that may develop under normal use of the provided Good/ Part.
- c) The Contractor shall maintain sufficient backup stock of spare parts and tools locally, for the maintenance of the supplied Goods, during the warranty period.
- d) The Contractor shall ensure availability of spare parts and technical assistance for at least three years, without major changes, after the completion of final acceptance.
- e) The Contractor shall give six months advance notice on any discontinued part(s) with a suggestion for appropriate alternatives.
- f) The Contractor shall also identify and provide the following:
 - i. items (repairable spares, parts and consumable supplies) that are needed to maintain design performance, reliability and availability standards prescribed in the Technical Specifications. The quantity of spare parts and consumable items provided and kept shall be equal to the requirements for one year of operating stock;
 - ii. critical items, whose failure would cause a system failure;
 - iii. items of high cost and/or long lead time (over thirty working days);
- x) After Sales Service: Supplier will provide after sales service from trained and qualified technical staff, free of charge for one complete year (including one year with parts as mentioned above in clause (viii), after the date of installation / testrun.

d. Warranty

ii. The Supplier or original manufacturer will provide comprehensive warranty of free after sales service, maintenance, replacement of parts, and working of the equipment for one year from the date of supply. Post warranty maintenance contract for another two years, including after sales service with parts, rates (companies to offer percentage (%) of the contract value in the technical bid).

iii. The Contractor shall warrant to the Purchaser that the Goods/Services supplied by the Contractor, under the Contract are genuine, brand new, non-refurbished, unaltered in any way, of the most recent or current model, imported through proper channel, and incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.

iv. The Contractor shall further warrant that the Goods/Services supplied by the Contractor, under the Contract shall have no defect, arising from design, materials, workmanship or from any act or omission of the Contractor that may develop under normal use of the supplied Goods/Services.

Page 52 | 67

ful-

- v. The Contractor shall provide Manufacturer's warranty for minimum three years (if applicable) (hereinafter referred as Warranty Period), after the issue of Taking-over Certificate in respect of Goods, the Services and the Works, or any portion thereof, as the case may be, which will include:
 - a. Free, on site repair / replacement of defective / damaged parts and labor, within 24 hours of intimation in Islamabad and within 72 hours in case of operational office out of Islamabad;
 - On site replacement of defective / damaged Goods, if repair of such Goods involves a duration exceeding 24 hours.
- vi. The Purchaser retains the rights to enter/or Not into annual maintenance contract with the Supplier.
- vii. The Warranty Period shall start from the date of installation / configuration / deployment of the Goods on site.
- viii. The Purchaser shall, by written notice served on the Contractor, promptly indicate any claim(s) arising under the warranty.
- ix. The Contractor shall, within the prescribed time period, after receipt of such notice, repair or replace the defective / damaged Goods or parts thereof on site, without any cost to the Purchaser.
- x. The end user licenses, end user warranties and end user contracting support services shall be in the name of Purchaser, for the Goods supplied, the Services provided and the Works done, under the Contract.

e. Commercial Availability

The Goods supplied under this Contract shall be commercially available at the time of signing of the contract. Commercial availability means that such Goods shall have been sold, installed and operationalized in installations elsewhere by the supplier or manufacturer.

f. Power

The Goods supplied under the Contract, unless otherwise specified, shall be capable of operating normally within the range of 220-240V and should be protected from overvoltage, overheating and out-of-tolerance current surges.

g. Safety

- The Contractor shall take adequate safety measures during delivery, installation and support services for preventing damage or malfunctioning of equipment, by eliminating identified hazards, including but not limited to high voltage, electromagnetic radiation, sharp points and edges, etc., and reduction of associated risk to personnel and equipment.
- The Contractor shall be responsible for the addition of warnings and caution notices, where hazards cannot be eliminated or risks cannot be reduced.

h. Additional instructions (If applicable)

- Please clearly indicate the country of origin, wholly or parts, etc.
- ii. Any state licensing or permission of export/sales/use requirements will be the responsibility of the supplier/manufacturer.

& Der

Page 53 | 67

Anh

- iii. Complete literature on working, installation, circuiting, maintenance to be provided in English language, with the equipment.
- iv. Training of working of the equipment and normal/minor repair, troubleshooting will be arranged by the supplier/ manufacturer, for Purchaser's staff, (Hardware/ Networking Engineers) at the purchaser's location, at the time of installation/ commissioning (for complex and high-tech equipment such as Mid-range Servers, SANs, Video Conferencing, etc.).

An Sol

Page 54 | 67

SECTION-IV

STANDARD FORMS

TECH FORM 1: Technical Proposal Cover Letter

TECH FORM 2: Bid Cover Sheet

TECH FORM 3: Affidavit

TECH FORM 4: Eligibility of the Bidders & Goods

TECH FORM 5: Manufacturer/Distributor's Authorization

TECH FORM 6: Integrity Pact

TECH FORM 7: Summary of Similar Contracts/ Projects

TECH FORM 8: CVs of Technical Resources

FIN FORM 1: Financial Proposal Cover Letter

FIN FORM 2: Price Schedule

8 De

Page 55 | 67

Assistant Director ()

To

Dear Sir,

Technical Proposal Submission Form

[Location, Date]

Strengthening of Ministry of Planning, Development & Reform in IT Project, Ministry of Planning, Development & Special Initiatives (MoPDSI), Islamabad

Reference Bid No (as in Clause 2.1), we, the undersigned, of (insert lot number here) in accordance with your Bidding Document hereby submitting our Proposal, which includes the Technical Proposal separate envelopes.	dated (insert date) and our Proposal. We are
We undertake, if our Proposal is accepted, to provide/ supply of iter specifications and in the duration specified in the Bidding Document sales service, onsite support and spare parts for supplied equipment Document.	. Furthermore, we also assure of providing after
We also confirm that the Government of Pakistan / Provincial Government of engaging in corrupt, fraudulent, collusive or coercive practices. practices in competing for or in executing the Contract, and we a Document.	We furthermore, pledge not to indulge in such
We understand you are not bound to accept any Proposal you receive	
We remain,	
Yours sincerely,	
Authorized Signature (In full and initials) Name and Designation of Signatory Name of Firm Address	to Sel odelle toh

Page 56 | 67

BID COVER SHEET

Bid Ref. No		Date
Name of the Supplier/Firm/ Contract	etor:	
Address:		
E-mail:		
Phone:Facsimile:		
Bid Security attached with Financial		NO
Bid for: : All Items mentioned in the Schedu	ale of Requirements – Lot #	
S. No. 1	Name of the Ite	em
Signed: Dated: Official Stamp:		

¹The Serial No. of the item as mentioned in the Technical Specifications.

2 Ser

det for

AFFIDAVIT

I/We, the undersigned solemnly state that:

- 1) We have read the contents of the Bidding Document and have fully understood it.
- The Bid being submitted by the undersigned complies with the requirements enunciated in the bidding documents.
- 3) The Goods that we propose to supply under this contract are eligible goods within the meaning of Clause 6 of the ITB.
- 4) The undersigned are also eligible Bidders within the meaning of Clause 4 and 35 of the ITB of the Bidding Documents.
- The undersigned are solvent and competent to undertake the subject contract under the Laws of Pakistan.
- 6) The undersigned have not paid nor have agreed to pay, any Commissions or Gratuities to any official or agent related to this bid or award or contract.
- The undersigned are not blacklisted or facing debarment from any Government, or its organization or project.
- 8) The undersigned has no dispute anywhere in the country regarding supplies.
- 9) The undersigned agree to give warranty with repair and parts for 01 year and after sale service without parts for 02 years. (Total services for 03 years).

We affirm that the contents of this affidavit are correct to the best of our knowledge and belief.

Signed

Note: The affidavit must be on judicial stamp paper of Rs. 50/- by the Executive of the Firm & attested by Oath Commissioner.

Page 58 | 67

TECH FORM 4

Lot Number:

Name of the Firm Bid
Reference No:

Date of opening of Bid.

Documentary Evidence: Eligibility of the Bidders and Goods

Required Documentation	Checklist (To be initialed by the Bidder against each document)	Relevant Page Number in the Bid (To be filled by the Bidder)	Supporting Documents (To be filled by the Bidder with name of the documents that are submitted to meet the requirement)
Column:1	Column:2	Column:3	Column:4
Covering Letter on Company Letterhead along with assurance that:			
 goods/ equipment/ services offered comply to the technical specifications in this Bidding Document; and, 			
after sales service, onsite support and spare parts for supplied equipment will be provided as per requirements mentioned in this Bidding Document			
Letter of Manufacturer's authorization			
Partnership Deed (where applicable)			
NTN Certificate	- 15:41		
GST Certificate			
Affidavit (Non Black Listed)		24.	
Audit Financial Reports			

& De

odet for

MANUFACTURER / DISTRIBUTOR'S/RESELLER AUTHORISATION1

To: [Name & Address of the Procuring Agency]

WHEREAS [name of the Manufacturer] who are established, reputable & successful in bidding process [name and/or description of the goods] having factories at [address of factory] do hereby authorize [name and address of Supplier/ Agent] to submit a bid, and subsequently negotiate and sign the Contract with you against the Invitation for Bids (IFB) No. [Reference of the Invitation to Bid] for the goods manufactured by us.

We hereby extend our full guarantee and warranty as per Clause 13 of the Instructions to the Bidders (ITB) Terms & Conditions for the goods offered for supply by the above firm against this Invitation for Bids.

Signature:	
Designation:	
Official Stamp:	-

Page 60 | 67

¹ This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent to do so. It should be included by the Bidder in its bid.

TECH FORM 6

Integrity Pact

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIES OF GOODS, SERVICES & WORKS IN CONTRACTS WORTH RS. 10.00 MILLION OR MORE

Contract Number:	Dated:
Contract Value:	
Contract Title:	
procurement of any contract, right, interest, privile	ereby declares that it has not obtained or induced the ege or other obligation or benefit from Government of cy thereof or any other entity owned or controlled by it
or agreed to give and shall not give or agree to give indirectly through any natural or juridical person, in director, promoter, shareholder, sponsor or subsidial kickback, whether described as consultation fee or	mission, fees etc. paid or payable to anyone and not given e to anyone within or outside Pakistan either directly or acluding its affiliate, agent, associate, broker, consultant, ary, any commission, gratification, bribe, finder's fee or otherwise, with the object of obtaining or inducing the other obligation or benefit in whatsoever form from GoP,
agreements and arrangements with all persons in resp	rtifies that it has made and will make full disclosure of all pect of or related to the transaction with GoP and has not event the above declaration, representation or warranty.
false declaration, not making full disclosure, misrep purpose of this declaration, representation and warran	cepts full responsibility and strict liability for making any presenting facts or taking any action likely to defeat the nty. It agrees that any contract, right, interest, privilege or aforesaid shall, without prejudice to any other right and other instrument, be voidable at the option of GoP.
practices and further pay compensation to GoP in an a gratification, bribe, finder's fee or kickback given by	damage incurred by it on account of its corrupt business amount equivalent to ten time the sum of any commission,
(Buyer)	(Seller/ Supplier)
	0 21
	and of

Page 61 | 67

Format for Summary of Similar Contracts/ Projects (Completed & Ongoing)

Name of Firm/ Bidder: ____

				Contract Cost (Rs. In Million)	Contract/ Project Duration		Completed as		
S#	Name of Contract/ Projects	Client's Name Location/Province/Country	Start Date		Completion Date	Single Firm or JV	Additional Information (if any)	Remarks	
1	2	3	4	5	6	7	8	9	10
		H							

40 Self fuh
Page 62 | 67

Format for CV-One Pager (Technical Resources)

Designation			
Education			
Degree	Year	Institution Name	Subject
Experience:			
	tal IT Ext	perience (Years):	
o To			
	tails of IT	Experience:	
	tails of IT	Experience:	

8 22

data ful

Page 63 | 67

FIN FORM 1

Financial Proposal Submission Form (Part of Financial Bid Envelope)

[Location, Date]

10	
	ssistant Director ()
St	rengthening of Ministry of Planning, Development & Reform in IT Project,
М	linistry of Planning, Development & Special Initiatives (MoPDSI), Islamabad
Dear Sir,	
(insert Proposal.	Bid No (as in Clause 2.1), we, the undersigned, offer to provide the Items/ Equipment in Lot # lot number here) in accordance with your Bidding Document dated(insert date)_ and our Technical Our attached Financial Proposal is for the sum of _(insert amount in words and figures) This amount we of all taxes and charges.
	cial Proposal shall be binding upon us subject to the modifications resulting from Contract negotiations, ration of the validity period of the bid/ proposal.
charges of	eclare that the Government of Pakistan or Provincial Governments have not declared us ineligible on fengaging in corrupt, fraudulent, collusive, or coercive practices. We furthermore, pledge not to indulge ractices in competing for or in executing the Contract, and are aware of the relevant provisions of the ment.
We under	stand you are not bound to accept any Proposal you receive.
Signed In the capa Duly author Date:	acity of: orized to sign the proposal on behalf of the Applicant.
(In full an	Designation of Signatory

to Sol obratu

FIN FORM 2

Price Schedule

(To be provided to the Procuring Entity)

User Note:	This form is to be filled by the Bidder and shall submit with Financial Proposal.
Name of the I	Firm:
Bid. Ref. No: Lot number: Date of openi	
C N	Jome of the Item No of Unit Total Applicable T. I.B.:

S. No.	Name of the Item	No. of Units	Unit Price	Total Value	Applicable Taxes	Total Price (Inclusive of all taxes)
1	2	3	4	5	6	7
				3*4		5+6
1					The second secon	
2						
3						
4						
(GRAND TOTAL:					

GRAND TOTAL PRICE:(Both in figures and words)	
Signature:	
Designation:	
Date:	
Official Stamp:	

& Doly

doth fuh

SECTION-V

Eligible Countries

for Sol dotte take

Section V: Eligible Countries

Country Eligibility for the Provision of Goods, Works and Services

As an exception, firms of a Country or goods manufactured in a Country may be excluded if:

- As a matter of law or official regulation, the Purchaser's Country prohibits commercial relations with that Country, provided that the Procuring Entity is satisfied that such exclusion does not preclude effective competition for the supply of the Goods or Works required, or
- 2) By an Act of Compliance with a Decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Purchaser's Country prohibits any import of goods from that Country or any payments to persons or entities in that Country.
- 3) For the information of Purchasers and bidders, at the present time firms, goods and services from the following countries are excluded from this bidding:
 - > Israel
 - > India
- 4) The bidder shall provide all the store / items mentioned in BOQ of Made in Pakistan "or" otherwise mentioned the country of origin (Country of Manufacture) of the offered / quoted equipment & all allied accessories. Equipment or any of its unit components quoted by the bidders must not be manufactured in Israel or India. Furthermore, the Bidder / Principal must not have any linkages with Israel or India regarding ownership, sponsoring and financing. In case any item may not confirms its country of origin, the bidder will provide the relevant documents to confirm the make and manufacturer. (if any item during course of execution may not confirm about its make then bidder shall provide an affidavit in this regard).
- 5) The bidder shall provide Undertaking of no business relations, manufacture, technical assistance etc. from Israel & India pertaining.

& DLy

to L

